

Griddle plate GDP 650E-GR



Description

Features

- | | |
|---|--|
| • Heating zones can be controlled separately: | Yes |
| • Power load: | 6 kW 400 V 50 Hz |
| • Type: | Table-top unit |
| • Safety thermostat: | Yes |
| • Temperature range: | 50 °C to 300 °C |
| • Series: | - |
| • Number of heating zones: | 2 |
| • Size heating surface: | W 650 x D 480 mm |
| • Roasting surface design: | 1/2 smooth, 1/2 ribbed |
| • Including: | 2 cleaning scraper |
| • Operating mode: | Electro |
| • Material: | CNS 18/10 |
| • Important information: | - |
| • Material roasting surface: | Steel |
| • Control lamp: | Operational |
| • Properties: | Grease collection tank
Backsplash welded on |

► Continue on the next page

Griddle plate GDP 650E-GR

- Equipment connection: 3 NAC
- Size: W 660 x D 580 x H 310 mm
- Weight: 40 kg



Griddle plate GDP 650E-GR

Add on Products

Grill attachment GDP 320/650E



STAINLESS
STEEL



- Temperature range: 50 °C to 220 °C
- Material roasting surface: Non-stick film, replaceable
- Size heating surface: W 325 x D 480 mm
- Roasting surface design: Smooth
- Total height with griddle plate: Closed 490 mm, open 810 mm
- Material: Stainless steel
- Important information: -

Code-No. 370100
GTIN 4015613633282

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without
cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
- Ph level: High concentrate
13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933