

Refrigerated counter T3 MA





- Constant and even cool temperature inside
 - Cooling: Circulating air
 - $\checkmark\,$ Temperature control in 0.1 °C steps



- Number of doors: 3
 ✓ Standard format cupboards: 1/1 GN
 ✓ Number of drawers: 6
- With upturned edge50 mm

Description

3-door refrigerated counter with high-quality stainless steel work surface and a large circulating air-cooled area - constant and even cooling temperature inside.

Features

 Material: Chrome-nickel steel Size Cupboard: W 1250 x D 585 x H 500 mm Important information: - Height-adjustable feet: Yes Norm-format cabinets: 1/1 GN Temperature range: 0 °C to 10 °C Cupboards refrigerated: Yes Number of drawers: 6 Temperature control: Electronic In 0.1 °C steps Control unit: Electronic Knob
 Important information: Height-adjustable feet: Norm-format cabinets: 1/1 GN Temperature range: 0 °C to 10 °C Cupboards refrigerated: Yes Number of drawers: 6 Temperature control: In 0.1 °C steps Control unit: Electronic Knob
 Height-adjustable feet: Yes Norm-format cabinets: 1/1 GN Temperature range: 0 °C to 10 °C Cupboards refrigerated: Yes Number of drawers: 6 Temperature control: Electronic In 0.1 °C steps Control unit: Electronic Knob
 Norm-format cabinets: 1/1 GN Temperature range: 0 °C to 10 °C Cupboards refrigerated: Yes Number of drawers: 6 Temperature control: Electronic In 0.1 °C steps Control unit: Electronic Knob
 Temperature range: Cupboards refrigerated: Yes Number of drawers: Temperature control: In 0.1 °C steps Control unit: Electronic Knob
Cupboards refrigerated: Yes Number of drawers: 6 Temperature control: Electronic In 0.1 °C steps Control unit: Electronic Knob
Number of drawers: Control unit: Co
Temperature control: Electronic In 0.1 °C steps Control unit: Electronic Knob
Control unit: In 0.1 °C steps Electronic Knob
Control unit: Electronic Knob
Knob
Distance between trays: 70 mm
Load-bearing capacity per drawer max.: 50 kg
Control lamp: ON/OFF

Continue on the next page





Refrigerated counter T3 MA

• Number of doors:

- Height adjustable:
- Type of door:
- Door hinge side:
- Tilting:
- Door hinge side can be changed:
- GWP:
- Climate class:
- Energy efficiency class:Energy consumption:
- Cooling:
- Coolant:
- Digital display: Depth GN container max.:
- Drip water evaporation:
- ON/OFF switch:
- Thermostat:
- Material work surface:
- Including:
- Available on request:
- Size:
- Weight:

3 850 mm to 900 mm Leaf door(s) Left / left / right 50 mm Yes 3 4 C (EU No. 2015 / 1094) 931 kWh / an Circulating air R600a / 0,064 kg Yes 40 mm Yes Yes Yes Stainless steel 3 grilles (W 325 x D 530 x H 10 mm) Refrigerated counter with glass-doors Refrigerated counter with swivel castors W 1,792 x D 700 x H 850 mm 112 kg







Refrigerated counter T3 MA Add on Products

Stainl.steel polish.spray 500ml can		Oil and grease remover F1L		
	Control of the second s			
 Content / can: Application:	500 ml Remove heavy soiling such as grease residue first Do not spray onto hot surfaces	 Content: Model: HACCP compliant: Chlorine-free: 	6 x 1 litre Liquid Yes Yes	
 allow them to cool down first: Application: 	Before use, bring the can to room temperature and shake well	 Phosphate-free: Including: Order quantity unit: 	Yes - 1 box (6 bottles)	
	Code-No. 173031 GTIN 4015613360195		Code-No. 1 GTIN 4015613	