

3L



150982

Technical information

Name	Insulated dispenser, 3 L, double-walled
Code-no.:	150982
Material:	Casing: stainless steel; Inside, cover and handle: artificial materials
Features:	<ul style="list-style-type: none">▪ Patented vacuum insulation system▪ Carry handle▪ Filling level indicator
Capacity:	3 litres
Dimensions:	W 165 x D 185 x H 460 mm
Weight:	1.63 kg

We reserve the right to make technical changes!

In accordance with intended use

Insulated dispenser is intended only for keeping drinks at high or low temperature.

Insulated dispenser should only be used for appropriate beverages.

Insulated dispenser must not be filled with dangerous liquids!

Insulated dispenser is not appropriate for milk and fizzy drinks.

Insulated dispenser should not be used for freshly-squeezed orange juice and other beverages which contain fruit pulp, as they can cause clogging of the spigot. In the case of tea, pay attention to leaves which may block the spigot.

Tips for the user

- Place the unit on a level, stable surface which can support its weight.
- Prior to first use, clean the reservoir, cover and spigot thoroughly. Rinse with clean water and drain through the spigot.
- Fill the reservoir with a hot or cold beverage. The amount of liquid contained can be seen on the front-side indicator.
- Close the lid, turning it clockwise.
- Owing to the double-wall construction from stainless steel, the insulated dispenser keeps drinks at high or low temperatures for many hours.

- To pour the drink into the appropriate dish (cup, mug, glass not higher than 11 cm) place the dish under the spigot.
- To dispense the beverage, press the spigot down.



Cleaning



CAUTION!

Clean the reservoir and spigot after each use!

- Clean the reservoir and lid with warm water and a soft cloth. If very dirty, a mild cleaning agent may be used. Rinse in clean water.
- The spigot should be cleaned every day with hot water, by pouring it into the reservoir and flushing through the spigot.
- Wipe the Insulated dispenser on the outside with a soft, damp cloth.
- If deposits form inside the reservoir, remove them with commercially-available substances for deposit removal or a solution of water and vinegar. Flush the solution through the spigot, in order to remove deposits which form inside it.
- Use only soft cloths and **never** use any type of harsh, scouring cleaning agent which may scratch the unit's surface.
- After cleaning, use a soft, dry cloth to dry.
- Ensure the unit has been properly cleaned prior to storing in a dry place.

Bartscher GmbH
Franz-Kleine-Str. 28
33154 Salzkotten
Germany

phone: +49 5258 971-0
fax: +49 5258 971-120
Service-Hotline: +49 5258 971-197
www.bartscher.com