

Refrigerated counter S2T1-150



Description

Features

• Number of drawers:	2
• Door hinge side:	Left
• Type of door:	Leaf door(s)
• Number of doors:	1
• Number of cupboards:	1
• Cupboards refrigerated:	Yes
• Drawers refrigerated:	Yes
• Norm-format drawers:	1/1 GN
• Power load:	0,35 kW 230 V 50 Hz
• Height-adjustable feet:	Yes
• Temperature range:	0 °C to 10 °C
• Height adjustable:	850 mm to 900 mm
• Tilting:	-
• Cooling:	Circulating air
• Coolant:	R134a
• Digital display:	Yes
• Depth GN container max.:	150 mm

► Continue on the next page

Refrigerated counter S2T1-150

- ON/OFF switch: Yes
- Important information: -
- Climate class: 4
- Material: Chrome-nickel steel
- Material work surface: Chrome-nickel steel
- Available on request: Refrigerated counter with glass-doors
Refrigerated counter with swivel castors
W 299 x D 572 x H 190 mm
- Size drawer: Yes
- Door hinge side can be changed: W 335 x D 570 x H 554 mm
- Size Cupboard: Thermostatic
- Temperature control: Knob
- Control unit: ON/OFF
- Control lamp: Yes
- Drip water evaporation: Yes
- Thermostat: Yes
- Energy efficiency class: C (EU No. 2015 / 1094)
- Including: 1 grille (W 325 x D 530 x H 10 mm)
- Size: W 1,342 x D 700 x H 850 mm
- Weight: 99.5 kg



Add on Products

Stainl.steel polish.spray 500ml can



- | | |
|----------------------------------|---|
| • Content / can: | 500 ml |
| • Application: | Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces |
| • allow them to cool down first: | |
| • Application: | Before use, bring the can to room temperature and shake well |

Code-No. 173031
GTIN 4015613360195