

## Salamander griddle 6640





This space-saving grill/broiler combination has a powerful griddle plate with 2 heating zones that can be switched on and off separately. The salamander's heat supply can be regulated perfectly with the height-adjustable rack and stepless temperature control. Thanks to the digital timer, grilling and gratiné processes are always completely controlled – even during peak times.

## **Features**

- · Material roasting surface: · Roasting surface design:
- Size heating surpface:
- · Griddle plate temperature range:
- Number of griddle plate heating zones:
- Separate control of griddle plate heating zones:
- Salamander temperature range:
- · Salamander heat source:
- Number of salamander heating elements:
- · Number of salamander heating zones:
- Output control:
- Height-adjustable grid:
- · Digital display:
- · Safety thermostat:
- Control unit:
- ON/OFF switch:

- Special steel
- Smooth
- W 700 x D 330 mm
- 50 °C to 300 °C
- Yes
- To 190 °C
- Radiant heaters
- 1
- Stepless
- Yes
- Yes
- Nο Electronic
- Toggle



- ✓ Griddle plate
- ✓ Salamander



- Griddle plate with 2 heating zones
- ✓ Can be controlled separately



- Salamander with 1 heating zone
  - ✓ Radiant heating element
- Timer:
  - √ 30 seconds to 100 minutes
  - ✓ 6 times can be saved



Grease trap

▶ Continue on the next page







## Salamander griddle 6640

Control lamp: Heat up ON/OFF
 Equipment connection: 3 NAC
 Including: 1 grille

Including:

 Power load:
 6,64 kW | 400 V | 50/60 Hz

 Timer:

 6 times can be saved
 30 seconds to 100 minutes

Grease collection tank: For griddle plate
 For salamander

 Dimensions of cooking rack: W 560 x D 400 mm

GN-compatible, 1/1 GN
• Material: Stainless steel

Important information:

 Size:
 W 718 x D 560 x H 460 mm

 Weight: 49.8 kg







## Salamander griddle 6640 **Add on Products**

