


Pass-Through Dishwasher DS901



Description

Features

• Height-adjustable feet:	Yes
• Glasses height max.:	440 mm
• Plate height max.:	440 mm
• Not included in delivery:	Feed/removal table, pre-cleaning
• Power load:	7,1 kW 380-400 V 50 Hz
• Equipment connection:	3 NAC
• Boiler heater:	6 kW
• Tank heater:	3 kW
• Water outlet:	Ø 50 mm
• Dry-run protection:	Yes
• Control lamp:	yes
• ON/OFF switch:	Yes
• Lye pump:	No
• Water softener:	No
• Clear rinsing dosing pump:	Yes
• Door contact switch:	Yes
• Cleaning agent dosing pump:	No

► Continue on the next page

Pass-Through Dishwasher DS901

- Run-time: 60 / 120 / 180 seconds
- Output / hour max.: 20 - 60 baskets
- Tank volume: 20 litre(s)
- Water pressure: 2.5 - 4 bar
- Water supply: G 3/4" M
- Material: CNS 18/10
- Important information: We recommend a warm water connection
- Cold rinsing: No
- Basket dimensions: 500 x 500 mm
- Water consumption at 2 bar: 3 litres / wash cycle
- Size: W 745 x D 835 x H 1,340 mm
- Weight: 97 kg



Pass-Through Dishwasher DS901

Add on Products

Single handle mixer 40L-3601B



- Fitting type: Single lever mixer
- Design: Mixer tap
- Flow at 3 bar: 40 L / Min.
- Properties: Stuffing box can be retightened
- Handles: Chrome
- Installation: Copper pipe connection 15 mm

Code-No. 400126
GTIN 4015613584034

Single handle mixer 40L-1801B



- Fitting type: Single lever mixer
- Design: Mixer tap with dishwashing shower arm
- Flow at 3 bar: Shower arm: 18 L / min.
Jet regulator: 40 L / min.
- Properties: Replaceable sieve
Spring mechanism
Rubber stopper ring

Code-No. 400123
GTIN 4015613438955