

Induction cooker IK 30TCS, 3kW



► Output: 3 kW

► Material hob: SCHOTT CERAN®



► Touch control panel with digital display

Description

Features

• Temperature range:	60 °C to 240 °C
• Number of temperature levels:	10
• Power load:	3 kW 230 V 50 Hz
• Equipment connection:	Pluggable
• Control unit:	Electronic
	Touch
• Number of hobs:	1
• Type of hobs:	Induction
• Control lamp:	yes
• Overheating protection:	Yes
• Digital display:	Yes
• ON/OFF switch:	Yes
• Colour:	Stainless steel / black
• Number of output levels:	10
• Properties:	-
• Material hob:	SCHOTT CERAN®
• Regulation of:	Output

► Continue on the next page



Induction cooker IK 30TCS, 3kW

- | | |
|-----------------------------------|---|
| • Regulation of: | Temperature |
| • Material: | Time |
| • Output hob(s) max.: | Stainless steel |
| • Important information: | 3000 W |
| | The platform 200 KST3240 Plus is required for use in the cooking station KST3240 Plus |
| • Intervals time setting: | 5 minutes |
| • Time adjustment: | 0 to 120 minutes |
| • Intervals temperature setting: | 20 °C |
| • Diameter hob(s): | 224 mm |
| • Size cerane surface: | W 274 x D 274 mm |
| • Can be installed: | Yes |
| • Pot recognition: | Yes |
| • Lock button (child protection): | No |
| • Size: | W 330 x D 415 x H 100 mm |
| • Weight: | 7.1 kg |



Induction cooker IK 30TCS, 3kW

Add on Products

Platform 200 KST Plus

CNS
18/10



- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277
GTIN 4015613684659