

## Cupboard 700, W1000, 2SwD, SS

### Description

### Features

• Height-adjustable feet:	Yes
• Available on request:	Special production The list price corresponds to the next higher standard dimension
• Type of door:	Leaf door(s)
• Design intermediate shelf:	Full-surface
• Intermediate shelf:	yes
• Material:	Stainless steel
• Important information:	-
• Number of intermediate shelves:	3
• Load-bearing capacity per intermediate shelf, max.:	130 kg
• Size inside:	W 997 x D 620 x H 1730 mm
• Door hinge side can be changed:	No
• Height adjustable:	1990 mm to 2055 mm
• Delivery state:	Permanently mounted
• Height-adjustable immediate shelves:	Yes
• Properties:	Feet in square tubing 40 x 40 mm

► Continue on the next page

## Cupboard 700, W1000, 2SwD, SS

- Properties: Shelves turned down 40 mm all-round and reinforced with a cross member  
Scotch-Brite sanding
- Size: W 1,000 x D 700 x H 2,000 mm
- Weight: 94 kg

## Cupboard 700, W1000, 2SwD, SS

### Add on Products

#### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031  
GTIN 4015613360195

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926