

Page 1/11

Revision: 28.09.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2022

Version number 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ECO-Fire
 - · Article number: 500653, 500663
- · UFI: G800-P0VS-K00F-T4YR
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Chafing fuel
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bartscher GmbH Franz-Kleine-Str. 28 33154 Salzkotten www.bartscher.de

· Informing department:

Tel: +49(0)5258-971-0 Fax: +49(0)5258-971-120

· 1.4 Emergency telephone number:

Giftnotruf Berlin

Tel. +49 (0)30 30686 700

Helpdesk in German and in English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Sol. 1 H228 Flammable solid.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

(Contd. on page 2)

Version number 3 (replaces version 2) Revision: 28.09.2022 Printing date 28.09.2022

Trade name: ECO-Fire

(Contd. from page 1)

· Hazard statements

H228 Flammable solid.

H319 Causes serious eye irritation.

· Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from open flames. - No smoking.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Ethanol-containing burning paste solidified by a gelling agent.

Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43- 0372	ethanol	50 - 100%
CAS: 67-56-1 EINECS: 200-659-6 Reg.nr.: 01-2119433307-44-X	methanol	≤ 1%

· Additional information

All ingredients are registered according to REACH-regulation.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Remove contaminated clothing immediately.

Rinse with warm water.

If skin irritation continues, consult a doctor.

· After eye contact

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

Seek medical treatment.

- · After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd. from page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Carbon monoxide (CO)

· 5.3 Advice for firefighters

· Protective equipment:

In case of fire wear breathing equipment being independent of ambient air and suit provided full protection against chemicals.

· Additional information Cool endangered containers with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Ensure adequate ventilation

Avoid contact with the product.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- Information about protection against explosions and fires:

Store it away from ignition sources or open fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and containers:

Store only in the original container.

Keep container tightly closed.

Ensure sufficient ventilation.

Store in cool location.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Keep away from strong oxidizing, alkalis and acidic materials.

- · Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

- FI

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd. from page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit OEL: Occupational Exposure Limit

IOELV: Indicative Occupational Exposure Limit Values, workplace threshold value of the European

Union

64-17-5 e	64-17-5 ethanol			
WEL (Gre	eat Britain)	Long-term value: 1920 mg/m³, 1000 ppm		
67-56-1 n	nethanol			
IOELV (E	IOELV (European Union) Long-term value: 260 mg/m³, 200 ppm Skin			
WEL (Great Britain)		Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk		
· DNELs	· DNELs			
64-17-5 e	64-17-5 ethanol			
Oral DNEL (consumer, long-term,		ner, long-term, systemic)	87 mg/kg bw/day (human)	
Dermal	DNEL (worker,	long-term, systemic)	343 mg/kg bw/day (human)	
DNFL (consum		ner long-term systemic)	206 mg/kg bw/day (human)	

67-56-1 m	ethanol	
	DNEL (consumer, short-term, local)	950 mg/m³ (human)
	DNEL (worker, short-term, local)	1,900 mg/m³ (human)
	DNEL (consumer, long-term, systemic)	114 mg/m³ (human)
Inhalative	DNEL (worker, long-term, systemic)	950 mg/m³ (human)
	DNEL (consumer, long-term, systemic)	206 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	343 mg/kg bw/day (human)
Orai	DINEL (consumer, long-term, systemic)	87 mg/kg bw/day (numan)

67-56-1 met	hand	ol
-------------	------	----

67-56-1 methanol		
Oral	DNEL (consumer, short-term, systemic)	4 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	4 mg/kg bw/day (human)
Dermal	DNEL (worker, short-term, systemic)	20 mg/kg bw/day (human)
	DNEL (worker, long-term, systemic)	20 mg/kg bw/day (human)
	DNEL (consumer, short-term, systemic)	4 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	4 mg/kg bw/day (human)
Inhalative	DNEL (worker, short-term, systemic)	130 mg/m³ (human)
	DNEL (worker, long-term, systemic)	130 mg/m³ (human)
	DNEL (consumer, short-term, systemic)	26 mg/m³ (human)
	DNEL (consumer, long-term, systemic)	26 mg/m³ (human)
	DNEL (worker, short-term, local)	130 mg/m³ (human)
	DNEL (worker, long-term, local)	130 mg/m³ (human)
	DNEL (consumer, short-term, local)	26 mg/m³ (human)
	DNFL (consumer long-term local)	26 mg/m³ (human)

PNFC

PNECS	
64-17-5 ethanol	
PNEC aqua (freshwater)	0.96 mg/L (.)
PNEC aqua (marine water)	0.79 mg/L (.)
PNEC STP	580 mg/L (.)
PNEC soil	0.63 mg/kg soil dw (.)
PNEC sediment (freshwater)	3.6 mg/kg sedim. dw (.)
PNEC sediment (marine water)	2.9 mg/kg sedim. dw (.)

(Contd. on page 5)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

		(Contd. from page 4)
PNEC aqua (intermittent rele	ases) 2.75 mg/L (.)	
PNEC oral	0.72 mg/kg food (.)	
67-56-1 methanol		
PNEC aqua (freshwater)	20.8 mg/L (.)	
PNEC aqua (marine water)	2.08 mg/L (.)	
PNEC STP	100 mg/L (.)	
PNEC soil	100 mg/kg soil dw (.)	
PNEC sediment (freshwater)	77 mg/kg sedim. dw (.)	
PNEC sediment (marine wat	er) 7.7 mg/kg sedim. dw	
PNEC aqua (intermittent rele	ases) 1,540 mg/L (.)	

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Individual protection measures, such as personal protective equipment
 - *Breathing equipment:* Use breathing protection in case of insufficient ventilation.
 - Hand protection



Protective gloves.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

· Eye/face protection



Tightly sealed safety glasses.

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Colour:
 Odour:
 Melting point/freezing point:
 Colourless alcohol-like
 Not determined

Boiling point or initial boiling point and

boiling range 79 °C

· Flammability Highly flammable.

Lower and upper explosion limit

 · Lower:
 3.3 Vol %

 · Upper:
 19 Vol %

 · Flash point:
 16 °C

· Decomposition temperature: Not determined.

(Contd. on page 6)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd.	fram		_
((,()))))	11()111	Dage	

· SADT

· Solubility

Water: Dispersible
Vapour pressure at 20 °C: 59 hPa

Density and/or relative density

• Density at 25 °C 0.84 g/cm³ • Particle characteristics See item 3.

9.2 Other information

· Appearance:

· Form: gel

· Important information on protection of health and environment, and on safety.

· **Self-inflammability:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/steam mixtures is possible.

· Information with regard to physical hazard classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure
Flammable liquids
Flammable solids

Flammable solids
Flammable solid.

Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures, which emit flammable gases in contact with water
 Oxidising liquids
 Oxidising solids

Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

		(Contd. from page 6)
· LD/LC5	50 valu	es that are relevant for classification:
64-17-5 et	hanol	
Oral	LD50	15,010 mg/kg (rat) (OECD 401)
Dermal	LD50	> 20,000 mg/kg (rabbit)
Inhalative	LC50	> 114 mg/l/1h (mouse) (OECD 403)
	LC50	125 mg/l/4h (rat) (OECD 403)
67-56-1 m	ethan	ol
Oral	LD50	7,000 - 9,000 mg/kg (rhesus monkey)
		> 5,000 mg/kg (pig)
	LDL0	> 2,528 mg/kg (rat)
Dermal	LD50	17,100 mg/kg (rabbit)

· Skin corrosion/irritation

More frequent and continuous contact with the skin may result in irritation of the skin.

- · Serious eye damage/irritation Irritation in case of direct contact
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:

· Repeat	· Repeated dose toxicity	
64-17-5 et	hanol	
Oral	NOAEL (90d)	< 9,700 mg/kg bw/day (mouse)
Inhalative	NOAEC (28d)	> 7,380 mg/m³ /ppm u (rat)

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxic	· Aquatic toxicity:		
64-17-5 ethano	ol .		
LC50	14,200 mg/l (fish)		
EC50 (static)	5,012 mg/l/48h (Ceriodaphnia dubia) (ASTM E729-80)		
EC50 (static)	EC50 (static) 675 mg/l/96h (Chlorella vulgaris) (OECD 201)		
EC50	EC50 275 mg/l/120h (Algae)		
LC50 (dynamic	LC50 (dynamic) 15,300 mg/l/96h (Pimephales promelas) (US EPA E03-05)		
67-56-1 metha	67-56-1 methanol		
LC50	15,400 mg/l (fish)		
EC50 (static)	> 10,000 mg/l/48h (Daphnia magna) (DIN 38412-11)		
EC50 (static)	EC50 (static) 22,000 mg/l/96h (Pseudokirchneriella subcapitata) (OECD 201)		

- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd. from page 7)

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Ensure cans are completely empty before recycling.

Let the boxes burn off completely and dispose of them in the collection of recyclable materials depending on municipal regulations.

· Europea	nn waste catalogue
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 04*	other organic solvents, washing liquids and mother liquors
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 04	metallic packaging
HP3	Flammable
HP4	Irritant - skin irritation and eye damage

· Uncleaned packagings:

Recommendation:

Empty containers are to be introduced to the scrap processing and/or to the reconditioning. Packing drums which are not duly emptied belong to hazardous waste.

Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN1325
· 14.2 UN proper shipping name · ADR/RID/ADN	1325 FLAMMABLE SOLID, ORGANIC, N.O.S.
· IMDG	(ETHANOL (ETHYL ALCOHOL)) FLAMMABLE SOLID, ORGANIC, N.O.S.
· IATA	(ETHANOL (ETHYL ALCOHOL)) FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL)

(Contd. on page 9)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd. from page 8) · 14.3 Transport hazard class(es) · ADR/RID/ADN · Class 4.1 (F1) Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives · Label 4.1 · IMDG, IATA · Class 4.1 Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives · Label 4.1 · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives · Kemler Number: 40 · EMS Number: F-A,S-G · Stowage Category В · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR/RID/ADN · Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 Maximum net quantity per outer packaging: 500 g · Transport category 2 Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 Maximum net quantity per outer packaging: 500 g (Contd. on page 10)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd. from page 9)

· UN "Model Regulation":

UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 4.1, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 69
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

The phrases specified here are no labelling elements for the product but repeat the properties of the ingredients from section 3.

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs.

· Department issuing data specification sheet:

▶ DEKRA This Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

(Contd. on page 11)

Printing date 28.09.2022 Version number 3 (replaces version 2) Revision: 28.09.2022

Trade name: ECO-Fire

(Contd. from page 10)

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

- · Date of previous version: 13.08.2019
- · Version number of previous version: 2
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Sol. 1: Flammable solids – Category 1 Acute Tox. 3: Acute toxicity – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

* Data compared to the previous version altered.

- FI