

Griddle plate 700FX-E796-GCR



- ▶ Can be used as a table-top appliance or, in combination, as a standing appliance
 - ✓ Pressure-tested stainless steel surface with Scotch-Brite finish
- ▶ Cooking surface design
 - ✓ Hard chrome-plated, smooth
 - ✓ Dimensions: W 796 x D 555 mm
- ▶ Heating zones
 - ✓ 2

Description

This smooth griddle plate from Series 700FX is extremely flexible. It can be used as a table-top appliance or, in combination, as a standing appliance. The hard chrome-plated steel cooking surface makes cleaning significantly easier, prevents food from burning onto the plate quickly and increases the lifetime of the appliance.

Features

• Power load:	7,8 kW 400 V 50-60 Hz
• Equipment connection:	3 NAC
• Control lamp:	Heat up ON/OFF
• Type:	Table-top unit
• Operating mode:	Electro
• Material roasting surface:	Steel Hard chrome-plated
• Roasting surface design:	Smooth
• Size heating surface:	W 796 x D 555 mm
• Number of heating zones:	2
• Temperature range:	50 °C to 300 °C
• Safety thermostat:	Yes
• Series:	700FX
• Heating zones can be controlled separately:	Yes
• Properties:	Grease collection tank Splash protection

▶ Continue on the next page

Griddle plate 700FX-E796-GCR

- Including: 4 feet
- Material: CNS 18/10
Scotch-Brite sanding
- Important information: -
- Height-adjustable feet: No
- Size: W 800 x D 700 x H 295 mm
- Weight: 83 kg



Griddle plate 700FX-E796-GCR

Add on Products

Sealing plug f. fat drain oval



- Material: Plastic
Heat resistant
- Important information: -
- Size: W 70 x D 118 x H 90 mm
- Weight: 0.14 kg

Code-No. 115107
GTIN 4015613588346

Base unit 700FX-O800

CNS
18/10



- Internal dimensions of base unit: W 750 x D 590 x H 380 mm
- Sub-counter unit type: Open
- Series: 700FX
- Height-adjustable feet: Yes
- Height adjustable: 550 mm to 620 mm
- Material: CNS 18/10
Scotch-Brite sanding

Code-No. 283887
GTIN 4015613773612

Device linking strip 700FX

CNS
18/10



- Material: CNS 18/10
Scotch-Brite sanding
- Size: W 10 x D 620 x H 10 mm
- Weight: 0.1 kg

Code-No. 284972
GTIN 4015613797083