

Water filter system K1500L EW



- Good water quality for the best coffee enjoyment
- ► The flow volume can be controlled in 6 levels
- ► Best suited to coffee specialities
 - ✓ Disposable system
- ✓ For horizontal and vertical installation
- Output capacity: 1500 litres / at 10 ° CH (carbonate hardness)

Description

Good water quality for the best coffee enjoyment — the water filter system with controllable flow volume reduces the carbonate hardness and the TDS content. The taste of the water is improved and is best suited to coffee specialities.

Features

• Output capacity: 1,500 litres / at 10° KH (carbonate hardness)

Designed for: Coffee machines
Design: Disposable system

For horizontal and vertical installation

• Material: Polypropylene

• Properties: Multiple use filter head

6 level controllable flow rate

Ion selective filter medium: Reduced carbonate hardness, reduced

DuoBlend® bypass valve: Precise setting of carbonate hardness

Internal bypass setting

Water connection: 3/8"
Water pressure: 2 - 8 bar
Colour: White
Water intake temperature from: 4 °C

Water intake temperature to:
Including:
1 bypass setting key (regulation of flow volume)

▶ Continue on the next page

• Important information:





Water filter system K1500L EW

• Including: 1 filter candle 1 hose

• Size: W 100 x D 125 x H 365 mm

• Weight: 1.5 kg





Water filter system K1500L EW Add on Products



