

Hot cupboard 700, W1000



Description

Features

• Height adjustable:	850 mm to 900 mm
• Tilting:	-
• Material work surface:	Stainless steel
• Size work surface:	W 1000 x D 700 mm
• Power load:	2 kW 230 V 50/60 Hz
• Height-adjustable feet:	Yes
• Control unit:	Electronic Toggle
• Control lamp:	yes
• ON/OFF switch:	Yes
• Number of doors:	2
• Number of intermediate shelves:	1
• Design intermediate shelf:	Full-surface
• Design inside:	2-partitions
• Properties:	40 mm edges turned down Feet in square tubing 40 x 40 mm Scotch-Brite sanding

► Continue on the next page

Hot cupboard 700, W1000

- Material: Stainless steel
- Important information: -
- Height-adjustable immediate shelves: No
- Load-bearing capacity worktop, max.: 315 kg
- Size inside: W 855 x D 620 x H 580 mm
- Temperature control: Stepless
- Delivery state: Permanently mounted
- Load-bearing capacity intermediate shelf, max.: 300 kg
- Temperature range: 20 °C to 80 °C
- Type of door: Sliding door(s)
Single-sided
- Available on request: Special production
The list price corresponds to the next higher standard dimension
- Size: W 1,000 x D 700 x H 850 mm
- Weight: 69 kg



Hot cupboard 700, W1000

Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Swivel castors 4AW



- Swivel castors: 4 swivel castors, 2 with brake
- Important information: -
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel
Rubber

Code-No. 308242
GTIN 4015613600307