

Refrigerated counter S2T2-150 MA



- ▶ Constant, even refrigeration temperature inside
 - ✓ Cooling: Circulating air
 - ✓ Temperature control in 0.1°C steps
- ▶ Two doors
 - ✓ Standard format cupboards: 1/1 GN
 - ✓ Height of shelves can be adjusted
- ▶ Two drawers
 - ✓ Refrigerated
 - ✓ Gastronorm: 1/1 GN
 - ✓ Max. depth of GN containers: 150 mm
- ▶ With upturned edge
 - ✓ 50 mm

Description

One appliance, two uses: The convection cooling ensures a constant, even refrigeration temperature inside this double-door, two-drawer refrigerated counter. Thanks to its high-quality and robust stainless steel surface, the appliance can be integrated perfectly into any kitchen and can also be used as a work surface.

Features

• Material:	Chrome-nickel steel
• Power load:	0,452 kW 230 V 50 Hz
• Size drawer:	W 299 x D 572 x H 190 mm
• Important information:	-
• Height-adjustable feet:	Yes
• Door hinge side:	Left / right
• Temperature range:	0 °C to 10 °C
• Door hinge side can be changed:	Yes
• Type of door:	Leaf door(s)
• Temperature control:	Electronic
	In 0.1 °C steps
• Size Cupboard:	W 335 x D 570 x H 554 mm
• Control unit:	Knob
	Electronic
• Control lamp:	ON/OFF
• Height adjustable:	850 mm to 900 mm
• Cupboards refrigerated:	Yes

▶ Continue on the next page

Refrigerated counter S2T2-150 MA

- Drawers refrigerated: Yes
- Tilting: 50 mm
- Norm-format drawers: 1/1 GN
- GWP: 3
- Norm-format cabinets: 1/1 GN
- Climate class: 4
- Number of drawers: 2
- Distance between trays: 70 mm
- Energy efficiency class: C (EU No. 2015 / 1094)
- Number of drawers: 2
- Energy consumption: 1095 kWh / an
- Cooling: Circulating air
- Number of doors: 2
- Coolant: R600a / 0,064 kg
- Number of cupboards: 2
- Digital display: Yes
- Height-adjustable drawers: Yes
- Depth GN container max.: 150 mm
- Drip water evaporation: Yes
- ON/OFF switch: Yes
- Thermostat: Yes
- Material work surface: Stainless steel
- Including: 2 grilles (W 325 x D 530 x H 10 mm)
- Available on request: Refrigerated counter with swivel castors
Refrigerated counter with glass-doors
- Size: W 1,792 x D 700 x H 850 mm
- Weight: 132 kg



Refrigerated counter S2T2-150 MA

Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031
GTIN 4015613360195

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276
GTIN 4015613761176