

Refrigerated counter S9-100 MA

- Constant, even refrigeration temperature inside
 - Cooling: Circulating air
 - Temperature control in 0.1°C steps
- Nine drawers
 - 🗸 Refrigerated
 - ✓ Gastronorm: 1/1 GN
 - Max. depth of GN containers: 100 mm
- With upturned edge
 - 🗸 50 mm



Description

One appliance, two uses: The convection cooling ensures a constant, even refrigeration temperature inside this nine-drawer refrigerated counter. Thanks to its high-quality and robust stainless steel surface, the appliance can be integrated perfectly into any kitchen and can also be used as a work surface.

Features

 Material: Power load: Important information: 	Chrome-nickel steel 0,452 kW 230 V 5 -
Height-adjustable feet:	Yes
Temperature range:	0 °C to 10 °C
 Temperature control: 	In 0.1 °C steps
	Electronic
Control unit:	Electronic
	Knob
 Control lamp: 	ON/OFF
 Height adjustable: 	850 mm to 900 mm
Tilting:	50 mm
• GWP:	3
Climate class:	4
 Energy efficiency class: 	D (EU No. 2015 / 109
 Energy consumption: 	1271 kWh / an
Cooling:	Circulating air

Continue on the next page



0,452 kW | 230 V | 50 Hz -Yes 0 °C to 10 °C In 0.1 °C steps Electronic Electronic Knob ON/OFF 850 mm to 900 mm 50 mm 3 4 D (EU No. 2015 / 1094) 1271 kWh / an Circulating air

> Code-No. **110888MA** GTIN 4015613846026



Refrigerated counter S9-100 MA

Coolant:

- Digital display: Depth GN container max.:
- Drip water evaporation:
- ON/OFF switch:
- Thermostat:
- Material work surface:
- Including:
- Available on request:
- Number of drawers:
- Size drawer:
- Drawers refrigerated:
- Norm-format drawers:
- Size:
- Weight:

R600a / 0,096 kg Yes 100 mm Yes Yes Yes Stainless steel

Refrigerated counter with swivel castors 9 W 299 x D 572 x H 100 mm Yes 1/1 GN W 1,792 x D 700 x H 850 mm 172 kg







Refrigerated counter S9-100 MA Add on Products

Stainl.steel polish.spray 500ml can		Oil and grease remover F1L		
	Control of the second s			
Content / can: Application:	500 ml Remove heavy soiling such as grease residue first Do not spray onto hot surfaces	Content: Model: HACCP compliant: Chlorine-free:	6 x 1 litre Liquid Yes Yes	
 allow them to cool down first: Application: 	Before use, bring the can to room temperature and shake well	 Phosphate-free: Including: Order quantity unit: 	Yes - 1 box (6 bottles)	
	Code-No. 173031 GTIN 4015613360195			. 173276 613761176