

Food service cart, 3x1/1GN, dry-heat.



Description

Features

• Power load:	2 kW 230 V 50 Hz
• Temperature range:	30 °C to 90 °C
• Control unit:	Electronic Toggle
• Protection class:	IPX4
• Basin size, GN format:	3 x 1/1 GN
• Control lamp:	Heat up ON/OFF
• Temperature control:	Stepless Thermostatic
• Delivery state:	Building kit (simple assembly)
• Swivel casters:	4 swivel casters, 2 with brake
• Depth GN container max.:	200 mm
• Heating type:	Dry heated
• ON/OFF switch:	Yes
• Thermostat:	Yes
• Diameter casters:	125 mm

► Continue on the next page

Food service cart, 3x1/1GN, dry-heat.

- Length cable: 3 m
- Connection cable type: Spiral cable
- Wheel buffer: 4 units, plastic
- Double-walled basin: Yes
- Not included in delivery: GN containers
- Material: CNS 18/10
- Important information: -
- Water drain tap: No
- Number of tanks: 1
- Heating zones can be controlled separately: No
- Size: W 650 x D 1,200 x H 855 mm
- Weight: 41 kg



Food service cart,3x1/1GN,dry-heat.
Add on Products

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276
GTIN 4015613761176