



FULLY AUTOMATIC COFFEE MACHINES

OUR KV SERIES ... and more



A guarantee
for the best
coffee results

...



... and
enjoyable
coffee
experiences





Premium for professionals – the KV series

KV primarily stands for *Kaffeevollautomaten*, the German word for fully automatic coffee machines.

However, the abbreviation also stands for much more: coffee varieties, coffee pleasure, coffee perfection and, above all, coffee diversity.

The right appliance to suit every need

Today's coffee lovers make the same demands of modern coffee machines as they do of a barista.

We can make you a promise: Our series offer the perfect appliance to suit your needs. Whether it's to be used in a kiosk, at the office, in a reception area or for demanding, everyday use in the catering trade.



Let the pages that follow take you into the world of our fully automated coffee machines and help you to learn about their product features.

EASY BLACK 250

THE FULLY AUTOMATIC MACHINE
for specific choice

Digital info about the
Easy Black 250



Find out
about our
product
online



Scan here
to watch the
product video

Easy Black 250

concentrates on the most popular specialities



The basic unit of the Bartscher fully automatic coffee machines offers a specific selection of tasteful coffee experiences. With up to 80 cups per day, coffee, espresso or cappuccino can be prepared simply with the touch of a button - whether in kiosks and snack bars or in customer service areas such as agencies, car dealerships and law firms.

Fully automatic coffee machine Easy Black 250

190080

GTIN 4015613760070

- Designed to make 80 cups per day
- Max. output:
 - 40 x 120 ml cups/hour (single cup discharge)
 - 60 x 120 ml cups/hour (double cup discharge)
- 4 programs, pre-programmed, parameters changeable
- Setting options: 5 grinding levels, coffee dosage, water quantity, water temperature
- 1 bean container: 250 g
- Ground coffee option: individual cups, manual 7 - 14 g
- Cleaning program
- Milk frother
- Switch for hot milk or milk froth
- Water supply: water tank (1.8 litres)
- Height-adjustable spout from 80 to 115 mm
- 2 cup function
- Cup counter
- Automatic turn-off
- Power load: 1.4 kW | 230 V | 50/60 Hz
- Size: W 300 x D 500 x H 360 mm
- Weight: 11.5 kg



EASY BLACK 250 | THE MOST IMPORTANT PRODUCT FEATURES AT A GLANCE



POWERFUL | THE THROUGHPUT CAPACITY



With up to 60 cups of Americano per hour, the small one is in no way inferior to the big one in terms of performance. It can also produce up to 80 cups a day - espresso, Americano or cappuccino. The height of the spout can be adjusted according to the cup size.

TAILORED TO SUIT | THE PROGRAMS




Whether it's the grinding degree, coffee dosage, amount of water or water temperature - the pre-installed programs can be adjusted in their parameters, so that the drink is ultimately a pleasure for everyone.

FLEXIBLE | BEANS OR GROUND COFFEE



With a fully automatic coffee machine, it all depends on the freshly ground coffee beans. Nevertheless, it is an advantage if you can also fall back on ground coffee from time to time - for a cup of Decaf, for example. The KV1 Easy Black 250 offers this option in an uncomplicated way, achieving coffee enjoyment for individualists as well.

POWERFUL | THE MILK CONSISTENCY




Do you prefer the milk foam to be nice and airy and firm or rather creamy and a bit more liquid? With the freely accessible regulator, the consistency of the milk or milk froth can be manually adjusted for each cup of coffee as required.

HANDY | THE WATER SUPPLY




In addition to reliability, flexibility is also an important aspect in gastronomy. The water supply of this fully automatic machine can be regulated via the integrated water tank - a simple solution for everyday use.

SPACIOUS | THE GROUNDS CONTAINER



The grounds container underneath the machine can be easily removed from the compartment, emptied and repositioned just as easily. After a short confirmation of emptying, coffee enjoyment can continue straight away.

CLEAR | THE OPERATION



With the different buttons for beverage selection, settings and coffee strength, the saying "coffee enjoyment at the touch of a button" suits the KV1 Easy Black 250 perfectly.

The display also gives you information about the beverage status, programs and appliance information.

EXEMPLARY | OUR SERVICE



If there is a fault that cannot be rectified on-site, please ask your local dealer.

SUMMARY

The ideal entry-level model
for your introduction
to the world of professional
fully automatic coffee machines



KV1 CLASSIC

THE FULLY AUTOMATIC MACHINE
for classic choice



Digital info about the
KV1 Classic



Find out
about our
product
online

KV1 Classic

focuses on the 6 most popular coffee specialities



Enjoy perfect coffee specialities at the push of a button. Whether espresso, cappuccino, latte macchiato or hot water - up to 6 different beverages can be individually adjusted. Its particularly large bean and grounds container makes the fully automatic machine the perfect choice for use in cafés, breakfast rooms and offices.

Fully automatic coffee machine KV1 Classic


190052

GTIN 4015613712741

- Designed to make 80 cups per day
- Max. output:
 - 40 x 120 ml cups/hour (single cup discharge)
 - 60 x 120 ml cups/hour (double cup discharge)
- 6 programs, individually adjustable
- Setting options: 5 grinding levels, coffee dosage, water quantity, water temperature
- 1 bean container: 1,000 g
- Ground coffee option: individual cups, manual 5 - 14 g
- Cleaning program
- Milk frother
- Controllable milk temperature using the milk hose
- Hot milk function
- Hot water function
- Water supply via fixed connection to water supply 1/2", water tank (1.8 litres) or water supply via external tank
- Height-adjustable spout from 100 to 160 mm
- 2 cup function
- Cup counter
- Automatic turn-off
- Power load: 2.7 kW | 230 V | 50/60 Hz
- Size: W 305 x D 550 x H 580 mm
- Weight: 17.4 kg



KV1 CLASSIC | THE MOST IMPORTANT PRODUCT FEATURES AT A GLANCE



POWERFUL | THE THROUGHPUT CAPACITY



The KV1 Classic produces up to 60 cups per hour (max. 80 cups/day) of various coffee specialities in premium barista quality – and at a speed perfectly tailored to the needs of the Horeca business.

The height-adjustable spout provides space for different cup and pot sizes.

EFFICIENT | COFFEE SUPPLY



The extra large container for coffee beans takes about 1000 g, making it perfect for efficient use in cafés, offices and canteens.

With the additional ground coffee option, rare coffee requests such as Decaf can be served by the cup instantly.

VERSATILE | PROGRAMMING



The machine offers up to 6 individually adjustable programs for a wide range of coffee specialities and an additional hot water function.

The cup counter and the descaling signal ensure a good overview and facilitate maintenance.

TAILORED TO SUIT | THE MILK SYSTEM



The integrated milk nozzle ensures the perfect milk consistency for specialities such as latte macchiato or cappuccino.

The milk temperature can be influenced by the flow rate using the milk hose with flow regulator.


HANDY | THE WATER SUPPLY



The fully automatic machine can be operated either via the 1.8 litre water tank or by using the fixed water connection. This is the flexibility you need to ensure that your Horeca business or catering business runs smoothly.

A waste water hose is offered as an optional accessory item.

CONVENIENT | COFFEE GROUNDS DISPOSAL



This model is supplied with a "chute hole" in the housing. This offers you the option of disposing the coffee grounds directly through the ejection chute into a waste bin. The grounds container has a capacity for 35 cups.

The ejection chute is optionally available if required.

CLEARLY ARRANGED | THE DISPLAY INFORMATION



With clear and simple icons, the display informs you about the programs, the appliance status and also about possible error messages.

Maximum operating comfort in the truest sense of the word is pre-programmed.

EXEMPLARY | OUR SERVICE



If there is a fault that cannot be rectified on-site, a replacement unit can be provided for the duration of the repair

– please ask your local dealer.

SUMMARY

A truly professional machine,
which proves itself
again and again
in daily use



KV1 COMFORT

THE FULLY AUTOMATIC MACHINE
for versatile choice

Digital info about the
KV1 Comfort



Find out
about our
product
online

KV1 Comfort

designed for maximum variety of enjoyment



The performance data impresses at first glance: Up to 23 individually programmable coffee specialities, a 6-litre water tank and a fixed water connection - in addition a simple intuitive touch display. The KV1 Comfort delivers what its name promises: convenient operation, elegant design, intelligent menu navigation and, last but not least, a wide range of coffee specialities that leaves nothing to be desired.

Fully automatic coffee machine KV1 Comfort


190031

GTIN 4015613745367

- Designed to make 80 cups per day
- Max. output:
 - 40 x 120 ml cups/hour (single cup discharge)
 - 60 x 120 ml cups/hour (double cup discharge)
- 23 programs, pre-set, individually adjustable
- Setting options: 5 grinding levels, coffee dosage, water quantity, water temperature, milk quantity, video display
- 1 bean container: 1,000 g
- Cleaning program
- Milk frother
- Coffee and milk froth preparation possible at the same time
- Hot milk function
- Hot water function
- Water supply via fixed connection to water supply 1/2", water tank (6 litres) or water supply via external tank
- Height-adjustable spout from 100 to 160 mm
- 2 cup function
- Cup counter
- Automatic turn-off
- Power load: 2.7 kW | 230 V | 50/60 Hz
- Size: W 390 x D 550 x H 580 mm
- Weight: 19.2 kg



KV1 COMFORT | EXCELLENT PRODUCT FEATURES AT A GLANCE



POWERFUL | THE THROUGHPUT CAPACITY



A real performance center in terms of coffee variety. The maximum output per hour is up to 60 cups of 120 ml Americano. The total daily output of the various coffee specialties is a maximum of 80 cups. The height-adjustable spout enables clean working.

VARIABLE | THE PROGRAM VARIETY



There could not be a more versatile range of coffee variants - up to 23 programs can be individually provided with icons and stored. This means that a new coffee variation can be added or re-programmed instantly. And there is also the hot water or hot milk function.

SPACIOUS | THE BEAN CONTAINER



The bean container impresses with an extra large capacity for up to 1,000 g of coffee beans. This saves a lot of work and time when refilling the coffee beans.

TAILORED TO SUIT | THE MILK SYSTEM




Milk is important in a wide variety of forms for many different coffee specialties - the KV1 Comfort offers the ideal conditions: In addition to a milk frother and a hot milk function, coffee and milk froth can be prepared at the same time.

WITHOUT DIFFICULTY | THE WATER SUPPLY



Nothing is left to be desired. The KV1 Comfort is equipped with an extra large 6 litre water tank. If this happens to not be enough, it is possible to control the water supply via an external tank. There is also the option of a connection to a fixed water supply without any further effort.

CONVENIENT | COFFED GROUNDS DISPOSAL



The KV1 Comfort grounds container has the capacity to take coffee grounds from up to 35 cups. Like the bean container, the machine offers huge savings in work and time - with the optionally available ejection chute, the coffee grounds fall directly into a waste bin, meaning that you have to empty it much less often.

INTUITIVE | THE TOUCH MENU GUIDE



What could be more intuitive than a combination of visual language and touch display. With clear and simple icons, the fully automatic machine tells you about the programs, the beverages and the appliance status. The promotionally effective display with picture and sound in best quality invites you to enjoy a cup of coffee.

EXEMPLARY | OUR SERVICE



If there is a fault that cannot be rectified on-site, a replacement unit can be provided for the duration of the repair

– please ask your local dealer.

SUMMARY

The professional
in coffee variety
for discerning
coffee connoisseurs



KV1 DELUXE

THE FULLY AUTOMATIC MACHINE
for the demanding choice



Digital info about the
KV1 Deluxe



Find out
about our
product
online

KV1 Deluxe

Excellent coffee variety combined with the highest technology



Caffè crema, espresso, latte macchiato and more than 30 more specialty coffees – they're all possible with the KV1 Deluxe. The powerful heating elements and milk temperature sensor ensure the perfect drink temperature. Because the water and coffee are dispensed at the same time, the preparation time is quicker, particularly for caffè americano. The features of the Deluxe are rounded off by the incredibly intuitive touch display – for top coffee enjoyment at the touch of a button.

Fully automatic coffee machine KV1 Deluxe


190033

GTIN 4015613806181

- Designed to make 100 cups per day
- Max. output:
 - 60 x 120 ml cups/hour (single cup discharge)
 - 80 x 120 ml cups/hour (double cup discharge)
- 30 programs, pre-set, individually adjustable, programming password protected
- Setting options: 5 grinding levels, coffee dosage, water quantity, water temperature (up to 95 °C via thermoblock), pre-brewing quantity, video display, drink names, operator mode
- 2 powerful heating elements: 1,400 Watt | Up to 95 °C
- 1 bean container, lockable: 1,000 g
- Cleaning program
- Milk frother | Milk temperature sensor on appliance for optimum steam addition
- Hot milk function
- Coffee and water can be dispensed at the same time (fast serving of caffè americano)
- Water supply via fixed connection to water supply 1/2", water tank (6 litres) or water supply via external container
- Height-adjustable spout from 75 to 155 mm
- 2 cup function | Cup counter
- Automatic turn-off
- Power load: 3.1 kW | 230 V | 50 Hz
- Size: W 390 x D 560 x H 630 mm
- Weight: 20.4 kg



KV2 PREMIUM | EXCELLENT PRODUCT FEATURES AT A GLANCE



POWERFUL | THE THROUGHPUT CAPACITY



There is no question that the KV1 Deluxe with a cup capacity of up to 80 cups per hour can withstand a highly catering business. With the simultaneous dispensing of coffee and water, the corresponding types of coffee are also prepared particularly quickly - such as an Americano.

IMPRESSIVE | THE DRINK VARIETY



Anyone who boasts a high throughput must also have a lot to offer in terms of beverage variety. 30 preset programmes, unlimited storage of additional programmes, including hot water for tea or other infusions - everyone can enjoy hot drinks. The highlight: programming is password-protected.

DECENCY-FREE | THE COFFEE SUPPLY



Spacious, convenient and safe at the same time: the bean container for 1,000 g of coffee beans is removable. This makes it particularly easy to load and, above all, clean. The safety aspect should also not be overlooked, as the container is lockable. The coffee supply is rounded off with the coffee powder option.

INNOVATIVE | THE MILK SYSTEM



You need the milk froth to be the same for each cup of coffee of a certain kind? Even at different milk temperatures? Our answer? OK! The milk sensor on the appliance ensures optimum steam addition. In this way, thanks to its innovative frothing technology, the KV1 Deluxe ensures an unrivalled, constant milk froth quality.

ADAPTABLE | THE WATER SUPPLY




Particularly for machines with a high throughput, a fixed water connection makes perfect sense. However, it's not always possible for one reason or another. We've allowed for this: The 6-litre water tank and optional water supply via an external tank mean that this fully automated coffee machine will never run dry.

PERFECT | THE BEVERAGE TEMPERATURE



The two powerful heating elements, each with 1,400 watts, come in a double pack. A temperature of up to 95 °C is reached via the thermoblock. The logical consequence of this: perfectly tempered coffee and tea variations with unrivalled enjoyment.

SOPHISTICATED | THE TOUCH MENU GUIDANCE



When it comes to a diverse menu with detailed programming options, intuitive operation is simply a must. Selection boxes, drag and drop options and clear symbols make the appliance easy to use and provide information about the drinks and the appliance status. The display can show short video clips that invite the public to enjoy a tasty cup of coffee.

EXEMPLARY | OUR SERVICE



If there is a fault that cannot be rectified on-site, a replacement unit can be provided for the duration of the repair

– please ask your local dealer.

SUMMARY

The luxury version
among the fully
automatic coffee machines
with 1 bean container



KV2 PREMIUM

THE FULLY AUTOMATIC MACHINE
for top versatility

Digital info about the
KV2 Premium



Find out
about our
product
online

KV2 Premium

Developed to offer a premium-class choice of beverages



30 coffee variations and more, 2 types of milk froth preparation, plus hot chocolate and tea - the fully automatic coffee machine offers a premium-class drink selection. Two bean containers with high-performance disc grinders and a dual pump system enable increased throughput at a boiler temperature up to 98 °C. With a clever, sensor-controlled milk system, the milk froth is perfect with every cup - regardless of the milk temperature.

Automatic coffee machine KV2 Premium

190086

GTIN 4015613806174

- Designed to make 120 cups per day
- Max. output:
 - 75 x 120 ml cups/hour (single cup discharge)
 - 90 x 120 ml cups/hour (double cup discharge)
- 30 programs, pre-set, individually adjustable, programming password protected
- Setting options: Stepless grinding degree setting, coffee dosage, water & milk quantity, water quantity & -temperature, pre-brewing quantity, video display, drink names, operator mode
- 2 bean containers, lockable: 1,200 g each
- 1 topping container, lockable: 1,600 g each
- Milk-/cocoa powder dosing: Accurate to the gram | Calibrated
- Cleaning program
- Milk frother
- Temperature sensor on the milk hose for optimal steam addition
- Hot milk function | Separate hot water tap
- Increased flow-through due to dual pump system
- Water supply via fixed connection to water supply 1/2", water tank (4 litres) or water supply via external container (required accessories available as an option)
- 2 cup tables for different heights underneath the outlet: 95 mm + 165 mm
- 2 cup function | Cup counter
- IoT-capable (Bartscher Cloud – language: German)
- Automatic turn-off
- Power load: 2.5 kW | 230 V | 50-60 Hz
- Size: W 400 x D 610 x H 695 mm
- Weight: 29.6 kg



KV2 PREMIUM | EXCELLENT PRODUCT FEATURES AT A GLANCE




POWERFUL | THE THROUGHPUT CAPACITY



Up to 90 cups per hour (= 1.5 cups per minute) – a very respectable performance for a fully automated coffee machine, but our KV2 Premium can do it! This throughput is due to the dual pump system. With a daily performance of up to 120 cups, this model is also perfect for use in large businesses.

ENDLESS | THE DRINK VARIETY



A high throughput is great, but a wide drink variety is also important. 30 pre-set programs, unlimited saving of further programs, hot chocolate and a separate hot water tap – e.g. for tea – mean that no requirements are left unmet. The highlight: programming is password-protected.

DIVERSE | BEAN & POWDER CONTAINERS



The ability to use two different types of bean brings coffee enjoyment to the highest possible level, since the bean can be perfectly chosen to suit the drink. The topping container brings even more variety to the drinks served, allowing them to be topped with tasty, aromatic cocoa. And it gets even better: The containers are removable and lockable.

INNOVATIVE | THE MILK SYSTEM



You need the milk froth to be the same for each cup of coffee of a certain kind? Even at different milk temperatures? Our answer? OK! The milk sensor on the milk hose ensures optimum steam addition. In this way, thanks to its innovative frothing technology, the KV2 Premium ensures an unrivalled, constant milk froth quality.

ADAPTABLE | THE WATER SUPPLY




Particularly for machines with a high throughput, a fixed water connection makes perfect sense. However, it's not always possible for one reason or another. We've allowed for this: The 4-litre water tank and optional water supply via an external tank mean that this fully automated coffee machine will never run dry.

PERFECT | THE BEVERAGE TEMPERATURE



To ensure the perfect hot water temperature for every type of tea, the water is heated in the boiler to up to 98 °C and is dispensed via a separate hot water tap. The coffee temperature is also perfect, since the pressure-free, isolated water boiler allows a brewing temperature of up to 98 °C to be set and programmed.

SOPHISTICATED | THE TOUCH MENU GUIDANCE



When it comes to a diverse menu with detailed programming options, intuitive operation is simply a must. Selection boxes, drag and drop options and clear symbols make the appliance easy to use and provide information about the drinks and the appliance status. The display can show short video clips that invite the public to enjoy a tasty cup of coffee.

EXEMPLARY | OUR SERVICE



If there is a fault that cannot be rectified on-site, a replacement unit can be provided for the duration of the repair

– please ask your local dealer.

SUMMARY

Perfection when it
comes to quality,
selection, capacity & taste

A real
people-pleaser





Our KV accessories

Everything the fully
automatic coffee machine heart
might desire



Thanks to our full range, we are able to offer many small and large helpers to match our fully automatic coffee machine series.

The upstream connection of water filter systems and the regular use of suitable cleaners ensure a longer life of the machines.

Looking for a mobile coffee bar? Then our Snackpoint 200 is just the thing!

Well-chilled milk is definitely indispensable for reasons of hygiene. Our fully automatic coffee machines regulate the right temperature for the coffee all by themselves.

Pre-warmed cups ultimately lead to the perfect, longest possible coffee enjoyment. The use of a cup warmer is therefore a MUST!

it's coffee time



ACCESSORIES AND ADD-ONS FOR THE PROFESSIONAL WORKING PROCESS



Water drain hose KV1

Now it's no longer necessary to empty the water collection tank on the KV1 Classic and KV1 Comfort fully automatic coffee machines, thanks to the KV1 water drainage hose.

- Designed for: Bartscher fully automatic coffee machine KV1 Classic and KV1 Comfort
- Material: Rubber (NBR)
- Length: 1.5 m
- Features: For use with coffee grounds container and coffee grounds ejection chute KV1

GTIN 4015613735696



190068

Dregs ejector chute KV1

The use of the coffee grounds ejection chute eliminates the need to empty the coffee grounds container on the KV1 Classic and KV1 Comfort fully automatic coffee machines. This reduces the amount of work and achieves a higher throughput capacity.

- Designed for: Bartscher fully automatic coffee machine KV1 Classic and KV1 Comfort
- Material: Plastic

GTIN 4015613735658



190060

Water pump KV2 Premium

Independent water supply: The water pump enables an external water supply via a canister or other water container for the premium fully automated coffee machine KV2. The perfect alternative for a water supply in large quantities - wherever there is no fixed water connection.

- Designed for fully automatic coffee machine KV2 Premium
- Set comprises: Attachment material | Holder | Pump | Suction tube, 40 cm | Water inlet hose, 57 cm
- Simple installation on the fully automatic coffee machine's housing

GTIN 4015613821108



190087

Rubbish bin 56L

The waste bin with a capacity of 56 litres makes a popular choice thanks to the 4 swivel castors and the removable lid, which can be hooked onto the side of the bin.

- Material: CNS 18/10
- Content: 56 litres
- Inside dimensions: Ø 370 mm, H 520 mm
- With handles on the side
- Lid can be attached to the side of the bucket

GTIN 4015613630670



860006

FOR TOP WATER QUALITY, WE RECOMMEND

**Pressure regulator**

From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar.

- Material: Brass | Chrome-plated
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Incoming pressure max.: 16 bar
- Operating temperature max.: 65 °C
- Connection: 3/4"

GTIN 4015613468617



533051

Water filter KV1

The best water quality for the best coffee. Made solely from certified food-safe materials, the water filter provides protection against limescale and extends the service life of your machine. The reduction of contaminants and the removal of chlorine improves the taste of your speciality coffees.

- Approx. 75 litres at 10° d (total hardness)
- Removes chlorine and improves flavour
- Protects the machine from limescale and related damage
- Preserves the essential remaining minerals

GTIN 4015613747798



109865

Water filter system K1600 EW

A good drinking water quality gives drinks a delicious taste. The water filter eliminates compounds that cause lime deposits. At the same time, the water is enriched with mineral compounds.

- Water connection 1/2"
- 1,600 litres / at 10° KH (carbonate hardness)
- Water pressure: 1.5 - 6 bar
- Disposable system
- For horizontal and vertical installation

GTIN 4015613630731



109881

Water filter system K3600L

Good water quality for the best coffee enjoyment – the water filter system reduces the carbonate hardness and the TDS content. In addition, the neutralised taste of the water allows the aromas of speciality coffees to fully emerge.

- Water connection 3/8"
- 1,600 litres / at 10° KH (carbonate hardness)
- Active carbon filter | pH-neutral
- Removal of chlorine and pollutants
- Multiple use filter head
- Reduction in TDS (total dissolved solids)
- Including: 1 filter head, 1 wall holder, 1 water filter cartridge, 2x 3/8" adapter to 10 mm Ø plastic hose

GTIN 4015613743899



109847

FOR PRACTICAL MILK STORAGE AND PROVISIONING, WE RECOMMEND



Milk refrigerator KV8,1L

Whether for cappuccino, coffee latte or latte macchiato - this practical milk refrigerator offers direct access to chilled milk with its side hose openings.

- Designed for 3 x 1 litre Tetra Paks® for example or milk container KV8,1L
- Temperature range from 0 °C to 8 °C
- Energy consumption: 218 kWh / an
- Ambient temperature up to 25 °C
- Inside dimensions: W 160 x D 190 x H 280 mm
- 2 openings for a milk hose, on the left and right of the appliance, Ø 7 mm

GTIN 4015613803500



190085

Milk refrigerator KV6LTE

A real eye-catcher in offices, kitchenettes, and smaller self-service coffee areas. This thermo-electric refrigerator holds 2 Tetra Paks® of milk and, with the two milk tube openings on the side, is the ideal addition to fully automatic coffee machines.

- Designed for 2 x 1 litre Tetra Paks® for example
- Cooling output 12 °C to 15 °C below ambient temperature
- Ambient temperature up to 22 °C
- Inside dimensions: W 160 x D 135 x H 285 mm
- 2 openings for a milk hose, on the left and right of the appliance, Ø 7 mm

GTIN 4015613768410



190079

Milk container KV8,1L

Filled with up to 4.5 litres of milk or equipped with milk bags, the milk container is the perfect addition to the KV8,1L milk refrigerator. The chilled milk for cappuccino, white coffee, latte macchiato and more is drawn directly from the container through the opening in the lid.

- Designed for milk, milk bag
- Content 4,5 litres
- Opening for milk hose in the lid

GTIN 4015613780467



190083

Milk hose kit KV1 700

This milk hose kit with its extra-long milk hose allows you to use the milk refrigerators KV8, 1L and KV6LTE on the left-hand side next to fully automatic KV1 coffee machines.

- Material: Plastic
- Set comprises: Hose and holder
- Hose length: 70 cm

GTIN 4015613754741



E019005202

FOR ADDED COFFEE ENJOYMENT AND PRE-WARMED CUPS, WE RECOMMEND



Cup warmer TA1440

- Maximum capacity of 103 cups
 - Temperature range up to 60 °C
 - Dimensions per surface: W 285 x D 335 mm
 - Distance between shelves: 180 mm each
- GTIN 4015613756837



103079

Cup warmer TA720

- Maximum capacity of 72 cups
 - Temperature range up to 60 °C
 - Dimensions per surface: W 280 x D 295 mm
 - Distance between shelves: 175 mm each
- GTIN 4015613708867



103076

Cup warmer 48 cups

- Maximum capacity of 48 cups
 - Temperature range from 30 °C to 45 °C
 - Diameter of cups maximum 90 mm
 - Height of cup shaft 300 mm
 - With rotating base
- GTIN 4015613469218



103067

Cup warmer T160

- Maximum capacity of 16 cups
 - Temperature range from 47 °C to 52 °C
 - Diameter of cups maximum 90 mm
 - Height of cup shaft 300 mm
- GTIN 4015613672250



103048

FOR CLEANLINESS, HYGIENE, AND CARE, WE RECOMMEND



Descaler F1L

For a longer lifetime - the liquid descaler removes limescale deposits from coffee machines and kettles etc. quickly, reliably yet gently.

- Designed for fully automatic coffee, coffee machines and kettles etc.
- Content: 6 x 1 litre
- Fast and reliable removal of stubborn limescale deposits

GTIN 4015613773322



173277

Cleaning tabs KV-20

For professional and thorough cleaning with negligible effort – fully automated coffee machines, filter coffee machines and vacuum flasks can be easily cleaned using these practical, simple and convenient cleaning tabs.

- Designed for fully automatic coffee, coffee machines, thermal jugs
- Content: 1 sales display unit (20 retail packs) 20 x 2 blister packs with 10 cleaning tabs
- Removes coffee residue (coffee oils and fats)
- Cleans coffee-carrying parts

GTIN 4015613773377



173283

Milk line detergent F1L

Want a fully automated coffee machine with a completely clean milk system thanks to easy cleaning? Then Bartscher's milk line cleaner F1L can do the job. Its regular use ensures good working order and drink quality.

- Designed for fully automatic coffee
- Content: 6 x 1 Liter
- Removes milk residue, grease and protein deposits

GTIN 4015613773360



173282



FOR A MOBILE COFFEE BAR, WE RECOMMEND



The mobile coffee bar

Are you looking for a mobile solution for fully automatic coffee machines, milk fridges, cup warmers, and more?

The variable Snackpoint 200 with optimum shelving is just right – mobile, robust, and flexible.



Snackpoint 200

The Snackpoint 200 offers practically endless possibilities – from a hot-dog stand to a grill counter or coffee bar.

- Can be fitted with optional extra insert shelves
- Swivel casters: 4 swivel casters, 2 with brake
- Magnetic stainless steel front can be used for advertising
- Possibility of connecting up two or more Snackpoints 200

GTIN 4015613756820



107301

Insert shelf M7 Snackpoint 200

The insert shelf for the Snackpoint 200 can be equipped and used in a fully individual way. The neutral utility surface with separate cable duct can be used individually with an electrical appliance or as a preparation/work surface.

- Dimensions of utility surface: W 755 x D 578 mm
- 1 cable duct

GTIN 4015613761831



More shelving options at www.bartscher.com

107308



Easy Black 250 



KV1 Classic 



KV1 Comfort 

We offer the
complete package
for the
best coffee results



... and it's cost-effective, too



KV1 Deluxe 



KV2 Premium 

Assumed consumption At 50 cups/day and 250 days of use	Costs per cup	Costs per day	Costs per year
Appliances and maintenance	0,056 €	2,81 €	701,00 €
Coffee and milk	0,11 €	5,50 €	1.375,00 €
Cleaning agents	0,003 €	0,17 €	42,66 €
Total	0,17 €	8,48 €	2.118,66 €

For more detailed information, please contact our sales team.
The information above relates to the KV1 Classic.

These coffee machines have wearing parts. If properly maintained, the following wearing parts are designed for at least the specified servings*:

- Pump, drainage valve, grinding mechanism and seals: 25,000 poured drinks
- Brewing unit: 50,000 poured drinks



Failure of these wearing parts after reaching the respective reference quantity does not mean that the coffee machines are defective.

*applies to the KV1 Classic and Comfort



FULLY AUTOMATIC COFFEE MACHINES SERIES KV

THE FULLY AUTOMATIC COFFEE MACHINES IN COMPARISON

	Easy Black 250 190080 	KV1 Classic 190052 
Max. performance (cups Americano/hr)	40 x 120 ml 60 x 120 ml	40 x 120 ml 60 x 120 ml
Designed for (cups/day)	80	80
Number of brewing groups	1	1
Minimum brewing quantity	25 ml	25 ml
Number of programs	4	6
Programs individually adjustable	Parameters changeable	✓
Cleaning program	✓	✓
2 cup function	✓	✓
Cup counter	Per program + total	Per program + total
Bean containers	1 x 250 g	1 x 1,000 g
Topping containers	—	—
Milk-/cocoa powder dosing	—	—
Bean-/topping containers lockable	—	—
Bean-/topping containers detachable	—	—
Ground coffee option (manual)	Individual cup, 7 - 14 g	Individual cup, 5 - 14 g
Coffee dosing controllable	✓	✓
Grinding level can be regulated	5-level	5-level
Grinding mechanism	1 cone grinder	1 cone grinder
Water temperature can be regulated	✓	✓
Milk temperature can be regulated	—	Via milk hose
Milk supply	Externally via hose	Externally via hose
Milk frother	✓	✓
Hot milk function	✓	✓
Hot water function	—	✓
IoT-capable	—	—
Water tank	1.8 litres, detachable	1.8 litres, detachable
Fixed connection to water supply	—	1/2"
Pump pressure	19 bar	19 bar
Height-adjustable outlet	80 - 115 mm	100 - 160 mm
Filling level display	✓	✓
Automatic turn-off	✓	✓
Volume grounds container, approx. (cups)	15	35
Base plate with cut-out for ejection of slops	—	✓
Including	1 milk hose 1 coffee spoon	1 milk hose 1 milk hose with flow control 1 water supply hose

Further product information at www.bartscher.com


Subject to technical changes.

	KV1 Comfort 190031	KV1 Deluxe 190033	KV2 Premium 190086
	40 x 120 ml 60 x 120 ml	60 x 120 ml 80 x 120 ml	75 x 120 ml 90 x 120 ml
	80	100	120
	1	1	1
	25 ml	15 ml	15 ml
	23	30 + more	30 + more
	✓	✓	✓
	✓	✓	✓
	✓	✓	✓
	Per program + total	Per program + total	Per program + total
	1 x 1,000 g	1 x 1,000 g	2 x 1,200 g
	—	—	1 x 1,600 g
	—	—	Accurate to the gram Calibrated
	—	✓	✓
	—	✓	✓
	—	Individual cup, 5 - 14 g	—
	✓	✓	✓
	5-level	5-level	Stepless
	1 cone grinder	1 cone grinder	2 disc grinders
	✓	✓	✓
	—	Electronic	Electronic
	Externally via hose	Externally via hose	External via tube or from topping container
	✓	✓	✓
	✓	Sensor on the appliance	Sensor on the milk hose
	✓	✓	✓
	—	—	Separate outlet tap
	6 litres, detachable	6 litres, detachable	Bartscher Cloud (language: German)
	1/2"	1/2"	4 litres, detachable
	19 bar	19 bar	1/2"
	100 - 160 mm	75 - 155 mm	19 bar
	✓	✓	—
	✓	✓	2 cup tables
	35	50	—
	✓	✓	✓
	2 milk hoses 2 water supply hoses	1 milk hose 1 universal key 1 water outlet hose 1 water supply hose	1 milk hose 1 universal key 1 water outlet hose 1 water supply hose

Bartscher

since 1876

The
digital version
is available
here



Further product information, data sheets, brochures and our complete product range can be found at www.bartscher.com



Bartscher GmbH
Franz-Kleine-Straße 28
33154 Salzkotten
Germany

Phone +49 5258 971-127

Fax +49 5258 971-120

export@bartscher.com

www.bartscher.com



4 015613 848853