

Cooking station KST3340 Plus

For a professional front-of-house cooking presentation:
The cooking station provides space for an appropriate usage
for up to 3 table top devices with a 230 Volt or a 400 Volt
connection.

Technical facilities

- Material: CNS 18/10
- Glass top as sneeze and splash guard
- 1 placement niche:
 - set-up area: W 1208 x D 600 mm
 - designed for max.: 3 table top devices
 - 5 sockets: 3 x 230 V, 2 x 400 V 16A CEE
- Storage compartment below the placement niche, W 1200 x D 600 x H 150 mm
- 4 GN containers 1/9 GN, 100 mm deep for oils, sauces or kitchen utensils
- Integrated ventilation system with stainless steel labyrinth filter, adjustable in 4 levels
- LED lighting with On/Off switch
- 4 swivel wheels, 2 with brakes
- Power: 34 kW / 400 V 50 Hz 3 NAC
- Size: W 1515 x D 770 x H 1265 mm
- Weight: 143,8 kg

GTIN 4015613677156

For more information: catalogue page 198, 199



€ 9.998,-*

Code-No. 107275

TOP Products



€ 519,-*

Code-No. A150691

Contact grill 2500 1R

Grill surface: grooved - Grill surface size: 360 x 270 mm

- Material: stainless steel
- Grill plate material: cast iron
- Temperature range: 100 °C to 300 °C
- Temperature control: thermostat
- Digital display for programming and storing the time
- Fat collection container
- Power: 2,5 kW / 220-230 V 50/60 Hz
- Size: W 400 x D 485 x H 285/600 mm
- Weight: 25,4 kg

GTIN 4015613674308

For more information: catalogue page 195



€ 1.098,-*

Code-No. 700213G

Cake display show-case 100L

Forced-air cooling with 1 fan - Capacity: 100 litres

- Stainless steel base
- Plastic housing with all-round double glass panel, safety glass
- Automatic defrost function
- Temperature range: 2 °C to 8 °C
- 4 height adjustable, rotatable intermediate shelves made of glass, Ø 390 mm, can be removed
- Power: 0,23 kW / 220-240 V 50 Hz
- Size: Ø 495 mm, height 1065 mm
- Weight: 53 kg

GTIN 4015613641423

For more information: catalogue page 122



€ 1.998,-*

Code-No. 110900

Refrigerated counter as substructure

1400T152 Ventilated cooling - Capacity: 120 litres

- Material: chrome nickel steel
- 2 drawers, cooled, inner size of the drawers, each: W 305 x D 520 x H 145 mm
- 1 cupboard, cooled, inner size: W 388 x D 540 x H 454 mm, 3 levels height adjustable, door hinged on the right
- Temperature range: 0 °C to 10 °C
- Power: 0,507 kW / 230 V 50 Hz
- Size: W 1400 x D 682 x H 625-660 mm
- Weight: 86 kg

GTIN 4015613650340

For more information: catalogue page 133



Cooking Equipment 900 Series



€ 5.949,-*

Code-No. 2952481

Gas stove, 6 burners
with electric oven 2/1 GN and neutral cabinet

- CNS 18/10
- 6 burners: 1 x 3,5 kW, 2 x 5 kW, 3 x 8 kW
- Electric oven 2/1 GN, 5,6 kW / 400 V 3 NAC
Temperature range: 70 °C to 300 °C
- Neutral cabinet: W 345 x D 835 x H 470 mm
- Power: 37,5 kW gas
- Size: W 1200 x D 900 x H 900-950 mm
- Weight: 186,6 kg

GTIN 4015613682778

For more information: catalogue page 48, 49



€ 4.998,-*

Code-No. 296421

Ceramic glass stove, 4 heating zones
with open base frame

- CNS 18/10
- 4 cooking zones 4 kW each, Ø 265 mm
- Power: 16 kW / 400 V 50/60 Hz 3 NAC
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 61,6 kg

GTIN 4015613668543

For more information: catalogue page 50



€ 7.349,-*

Code-No. 296217

Electric stove, 6 hot-plates
with electric oven 2/1 GN and neutral cabinet

- CNS 18/10
- 6 hot-plates 4 kW each, 300 x 300 mm
- Electric oven 2/1 GN, 5,6 kW
Temperature range: 70 °C to 300 °C
- Neutral cabinet: W 345 x D 835 x H 470 mm
- Power: 29,6 kW / 400 V 50/60 Hz 3 NAC
- Size: W 1200 x D 900 x H 900-950 mm
- Weight: 172,6 kg

GTIN 4015613672861

For more information: catalogue page 51



€ 13.698,-*

Code-No. 296319

Induction stove, 4 heating zones
with open base frame

- CNS 18/10
- Glass hob 2 x 320 x 650 mm, 4 x 5 kW
- Induction coils Ø 270 mm
- Power: 20 kW / 400 V 50/60 Hz 3 NAC
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 84,6 kg

GTIN 4015613672878

For more information: catalogue page 52



€ 4.998,-*

Code-No. 296426

Electric multi-frying pan
with drip collecting tray 1/2 GN, 200 mm deep

- CNS 18/10
- Pan size: 630 x 510 x 110 mm
- Capacity: 32 litres
- Temperature range: 70 °C to 300 °C
- Power: 10 kW / 400 V 50/60 Hz 3 NAC
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 98,2 kg

GTIN 4015613672908

For more information: catalogue page 52



€ 2.149,-*

Code-No. 296303

Electric bain marie
with open base frame

- CNS 18/10
- Basin size: 1 x 1/1 GN + 1 x 1/3 GN, 150 mm deep
- With water inlet at the basin and outlet at the bottom
- Power: 3,5 kW / 230 V 50/60 Hz 3 NAC
- Size: W 400 x D 900 x H 900-950 mm
- Weight: 6,4 kg

GTIN 4015613668567

For more information: catalogue page 53



Cooking Equipment 900 Series



€ 3.898,-*

Code-No. 296511

Electric griddle plate
with steel plate, 1/2 smooth and 1/2 grooved

- CNS 18/10
- Cooking surface: W 755 x D 760 mm
- Power: 15 kW / 400 V 50/60 Hz 3 NAC
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 121,6 kg

GTIN 4015613672977

For more information and different versions:
catalogue page 54



€ 3.798,-*

Code-No. 2954631

Gas lava rock grill
Grid (V-grid) for meat

- CNS 18/10
- With piezo ignition
- Grilling surface: 750 x 505 mm, height adjustable
- Power: 24 kW gas
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 103 kg

GTIN 4015613673004

For more information: catalogue page 55



€ 5.198,-*

Code-No. 296970

Electric standing deep fat fryer, 2 basins
Basin capacity: 2 x 20 litres

- CNS 18/10
- 2 baskets: W 290 x D 450 x H 115 mm
- With fat collecting container
- Power: 4,8 kW / 400 V 50/60 Hz 3 NAC
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 88,8 kg

GTIN 4015613673028

For more information and different versions:
catalogue page 56



€ 2.998,-*

Code-No. 296311

Electric pasta cooker, 1 basin
Capacity: 40 litres

- CNS 18/10
- Incorporated water inlet and outlet tap
- Power: 9,6 kW / 400 V 50/60 Hz 3 NAC
- Size: W 400 x D 900 x H 900-950 mm
- Weight: 45,2 kg

GTIN 4015613668581

For more information and different versions:
catalogue page 57



€ 7.498,-*

Code-No. 2956031

Gas tilting frying pan
with electric tilting

- CNS 18/10
- Pan made of CNS, bottom made of steel
- Capacity: 87 litres, volume: 70 litres
- Pan size: W 720 x D 610 x H 225 mm
- Temperature range: 100 °C to 300 °C
- Connection valve for hot and cold water Ø 12 mm
- Power gas: 22 kW
- Power electric: 0,3 kW / 230 V 50/60 Hz
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 157,2 kg

GTIN 4015613673073

For more information and different versions:
catalogue page 58



€ 9.798,-*

Code-No. 2959021

Gas boiling kettle, indirect heating, 135 l
with automatic water level control

- CNS 18/10
- Double-walled kettle
- Kettle capacity: 152 litres, volume: 135 litres
- Internal dimensions: Ø 600 mm, height 540 mm
- Drain-tap
- Connection valve for hot and cold water Ø 10 mm
- Power gas: 21 kW
- Power electric: 0,5 kW / 230 V 50/60 Hz
- Size: W 800 x D 900 x H 900-950 mm
- Weight: 154 kg

GTIN 4015613673110

For more information and different versions:
catalogue page 59



Combi Steamers / Cooking Equipment



€ 4.498,-*

Code-No. 116526W

Combi steamer E 5110RS

Capacity of up to 5 x 1/1 GN or 600 x 400 mm

- Automatic 3-stage cleaning system with drying program
- Temperature range: 50 °C to 280 °C
- Connection to water supply 3/4"
- Power: 6,3 kW / 400 V 50 Hz 3 NAC
- Size: W 890 x D 815 x H 635 mm
- Including: 1 inlet hose for cleaning detergent
- Weight: 90,2 kg

GTIN 4015613670850

For more information: catalogue page 87



€ 5.598,-*

Code-No. 116528W

Combi steamer E 7110RS

Capacity of up to 7 x 1/1 GN or 600 x 400 mm

- Automatic 3-stage cleaning system with drying program
- Temperature range: 50 °C to 280 °C
- Connection to water supply 3/4"
- Power: 9,6 kW / 400 V 50 Hz 3 NAC
- Size: W 890 x D 815 x H 815 mm
- Including: 1 inlet hose for cleaning detergent
- Weight: 103,8 kg

GTIN 4015613676661

For more information: catalogue page 87



€ 2.959,-*

Code-No. 117002

Condensation hood "Kompakt" 300

Suitable for "Bartscher Kompakt" combi-steamers

- Material: stainless steel
- Filter: labyrinth filter, stainless steel
- Ventilator control: automatic, sensor controlled
- Flame protection filter
- Power: 0,3 kW / 230 V 50/60 Hz
- Size: W 520 x D 1040 x H 300 mm
- Weight: 27,8 kg

GTIN 4015613671031

For more information: catalogue page 94



€ 2.398,-*

Code-No. 2819991

Gas stove 4 burners GHU 4110

with electric convection oven 1/1 GN

- Gas stove made of CNS 18/10
- Gas burners with safety pilot
- 4 gas burners: 2 x 3,5 kW, 2 dual circuit burners with 7 kW each
- Electric convection oven 1/1 GN, 3,1 kW / 230 V Temperature range: 50 °C to 300 °C
- Power: gas 21 kW
- Size: W 750 x D 700 x H 850-910 mm
- Includes 2 grids, 2 baking trays, stainless steel
- Weight: 100,8 kg

GTIN 4015613676940

For more information: catalogue page 10



€ 1.959,-*

Code-No. 1050603

Gas stock-pot-stove 280PRO

Load bearing capacity: 70 kg

- Material: CNS 18/10
- Cast iron support
- Type of gas: liquid gas, natural gas jets H and L are included
- Gas burner: nozzle burner
- Type of ignition: manual ignition
- Collecting tray under the burner
- Power: 12,5 kW
- Size: W 680 x D 590 x H 820 mm
- Weight: 31 kg

GTIN 4015613670935

For more information: catalogue page 68



€ 1.029,-*

Code-No. A370039

Electric griddle plate GDP 980E, plain

Roasting surface: steel, plain, size: W 980 x D 480 mm

- CNS 18/10
- Heating zones: 3, separately controllable
- Thermostat for constant operating temperature between 50 °C and 300 °C
- Heating control light
- Thermostatically controlled shut-down
- 4 plastic feet, height-adjustable
- Power: 9 kW / 400 V 50 Hz 3 NAC
- Size: W 990 x D 580 x H 310 mm
- Weight: 68,6 kg

GTIN 4015613676548

For more information and different versions: catalogue page 196, 197

Small Appliances



€ 1.489,-*

Code-No. 105984

Table top induction stove ITH 35S-220

Cooking surface: Schott Cerane, W 290 x D 290 mm

- Material: CNS 18/10
- 1 hob, hob diameter: 220 mm
- Power levels: 9
- Digital display, pan detector
- Overheating protection
- Power: 3,5 kW / 230 V 50 Hz
- Size: W 340 x D 400 x H 110 mm
- Weight: 8,1 kg

GTIN 4015613676623

For more information: catalogue page 205



€ 1.798,-*

Code-No. 105985

Table top induction stove 35ZS-210

Cooking surface: Schott Cerane, W 290 x D 470 mm

- Material: CNS 18/10
- 2 hobs, diameter of each hob: 210 mm
- Power of the hobs: front 1,8 kW / rear 1,8 kW
- Power of the hobs with power boost: front up to 3,5 kW / rear up to 1,8 kW (max. 3,5 kW)
- Power: 3,5 kW / 230 V 50 Hz
- Size: W 340 x D 590 x H 110 mm
- Weight: 11,1 kg

GTIN 4015613676630

For more information: catalogue page 205



€ 179,-*

Code-No. 105927

Induction cooker IK 27TC

Cooking surface: glass, W 285 x D 275 mm

- Material: stainless steel
- 1 hob, pot size: 120 - 260 mm
- Touch control panel with digital display
- Power levels: 10, timer up to: 180 minutes
- Temperature range: 60 °C to 240 °C
- Power: 2,7 kW / 230 V 50 Hz
- Size: W 340 x D 425 x H 75 mm
- Weight: 4,75 kg

GTIN 4015613666006

For more information: catalogue page 202



€ 459,-*

Code-No. 610184

Microwave oven 10250M

Microwave power: 1000 W / 1 magnetron

- Material: stainless steel
- Functions: heating up, defrosting
- Capacity: 25 litres
- Number of power levels: 1
- Timer: manual
- Timer up to: 6 minutes
- Power: 1,55 kW / 230 V 50 Hz
- Cooking compartment size: W 312 x D 332 x H 270 mm
- Size: W 515 x D 435 x H 310 mm
- Weight: 15,2 kg

GTIN 4015613649450

For more information: catalogue page 233



€ 1.198,-*

Code-No. 610192

Microwave oven 18340M

Microwave power: 1800 W / 2 magnetrons

- Material: stainless steel
- Functions: heating up, defrosting
- Capacity: 34 litres
- Number of power levels: 6
- Timer: digital
- Timer up to: 60 minutes
- Power: 3 kW / 230 V 50 Hz
- Cooking compartment size: W 360 x D 400 x H 215 mm
- Size: W 570 x D 535 x H 365 mm
- Weight: 33,2 kg

GTIN 4015613658599

For more information and different versions: catalogue page 234



€ 1.249,-*

Code-No. 610189

Microwave oven 21170D

Microwave power: 2100 W / 2 magnetrons

- Material: stainless steel
- Functions: heating up, defrosting
- Capacity: 17 litres
- Number of power levels: 10
- Timer: digital
- Timer up to: 60 minutes
- Adjustable programs: 10
- Power: 3,2 kW / 230 V 50 Hz
- Cooking compartment size: W 330 x D 308 x H 160 mm
- Size: W 420 x D 555 x H 340 mm
- Weight: 31,75 kg

GTIN 4015613658582

For more information: catalogue page 235

Dishwashers / Stainless Steel Units



€ 1.898,-*

Code-No. 110608


Glasswasher Deltamat TF 401 K

with cold rinse option - for immediately usable glasses

- CNS 18/10
- Max. capacity h: 30 baskets (400 x 400 mm)
- Wash cycle: 120 seconds
- Water consumption at 2 bar: 1,8 litres
- Capacity tank: 14,5 litres
- Power: 3,2 kW / 230 V 50 Hz
- Size: W 450 x D 555 x H 700 mm
- Weight: 33,8 kg

GTIN 4015613671369

For more information: catalogue page 150



€ 2.989,-*

Code-No. 110555

Dishwasher Deltamat TF 516

Max. capacity h: 40 baskets (500 x 500 mm)

- CNS 18/10
- Wash cycle: 90/120/180 seconds
- Water consumption at 2 bar: 2,3 litres
- Capacity tank: 29 litres
- Power: 5,15 kW / 400 V 50 Hz 3 NAC
- Size: W 595 x D 630 x H 845 mm
- Weight: 62,1 kg

GTIN 4015613675213

For more information and different versions:
catalogue page 153



€ 3.029,-*

Code-No. 111655


Dishwasher Deltamat TF 526 R

with dish-washing detergent

- CNS 18/10
- Max. capacity h: 60 baskets (500 x 500 mm)
- Wash cycle: 60/120/180/300 seconds
- Capacity tank: 16,5 litres
- Power: 5,15 kW / 400 V 50 Hz 3 NAC
- Size: W 595 x D 630 x H 845 mm
- Weight: 66 kg

GTIN 4015613675251

For more information and different versions:
catalogue page 154



€ 8.898,-*

Code-No. 109244

Pass-Through Dishwasher DS 2500eco

with drain pump and dish-washing detergent

- CNS 18/10
- Max. capacity h: 12 to 72 baskets (500 x 500 mm)
- Wash cycle: 50/90/120/180/300 seconds
- Heat recovery
- Water consumption at 2 bar: 2,6 litres
- Capacity tank: 20 litres
- Water pressure 2-4 bar
- Power: 9,9 kW / 400 V 50 Hz 3 NAC
- Size: W 720 x D 795 x H 1965-2115 mm
- Weight: 138 kg

GTIN 4015613664590

For more information: catalogue page 159



€ 998,-*

Code-No. 338307

Drawer cabinet 700S3A

3 drawers: suitable for 1/1 GN

- Material: CNS 18/10
- Design: with splashback, 40 mm
- 3 drawers: suitable for 1/1 GN, 150 mm deep, fully extendable
- Drawer size, each: W 305 x D 525 x H 145 mm
- Carrying capacity of each drawer: 50 kg
- Size: W 400 x D 700 x H 850-900 mm
- Weight: 39,2 kg

GTIN 4015613671239

For more information: catalogue page 175



€ 719,-*

Code-No. 316347

Rubbish bin cupboard 700M1

Inner container, capacity: 28 litres

- Material: CNS 18/10
- Inner container:
 - stainless steel
 - size: W 253 x D 300 x H 388 mm
 - with side handles
 - removable
- Size: W 340 x D 700 x H 850-900 mm
- Weight: 30,4 kg

GTIN 4015613641591

For more information: catalogue page 175

Refrigerating Technology / Small Appliances



€ 3.179,-*

Code-No. 700599

Mini cold room BS1240L

Assembly set, easy to assemble - Capacity 1240 litres

- Exterior: steel sheet PVC coated
- Interior: aluminium, stainless steel basement
- Prepared for support rails and grids, suspension attachment, loading ramp
- Temperature range: 2 °C to 10 °C
- Power: 0,571 kW / 230 V 50 Hz
- Size: W 975 x D 1040 x H 2200 mm
- Weight: 160 kg

GTIN 4015613664309

For more information: catalogue page 130



€ 449,-*

Code-No. 700778G

Mini Cooler 78L, silver

Volume: 78 litres

- Material: plastic, silver
- Ventilated cooling, coolant: R600a
- Temperature range: 2 °C to 12 °C
- Power: 0,18 kW / 230 V 50 Hz
- Size: W 435 x D 385 x H 960 mm
- Including 3 height adjustable grids
- Weight: 32,5 kg

GTIN 4015613664101

For more information and different versions: catalogue page 124, 125



€ 2.149,-*

Code-No. 700455

Refrigerator for 2/1 GN grids

Gross volume: 700 litres

- CNS 18/10
- Ventilated cooling
- Temperature range: -2 °C to 8 °C
- Energy efficiency category: F (EU) No. 2015/1094
- Energy consumption: 1178 kWh/year
- Power: 0,368 kW / 230 V 50/60 Hz
- Size: W 655 x D 855 x H 2050 mm
- Weight: 108 kg

GTIN 4015613521763

For more information: catalogue page 129



€ 145,-*

Code-No. A300073

Trolley TS 301

Carrying capacity, max.: 90 kg in total, 30 kg per shelf

- Material: chrome nickel steel
- Design: frame made of round pipes, Ø 25,8 mm
- Shelves: 3, size, each: W 827 x D 510 mm
- Distance between shelves: 265 mm
- 4 rubber swivel wheels, Ø 100 mm, each with 1 wheel buffer, 2 with brakes
- Easy assembling kit
- Size: W 920 x D 600 x H 945 mm
- Weight: 13,4 kg

GTIN 4015613671611

For more information: catalogue page 306



€ 159,-*

Code-No. 300064

Crate clearing trolley ENK-3EB

Designed for Eurocode crates E1, E2, E3

- Material: chrome nickel steel
- Designed for: Eurocode crates, size: 600 x 400 mm
- Distance between slots: top 118 mm (E1), middle 380 mm (E1, E2, E3), bottom 250 mm (E1, E2)
- Carrying capacity max.: 100 kg in total
- 4 rubber swivel wheels, Ø 100 mm, each with 1 wheel buffer, 2 with brakes
- Easy assembling kit
- Size: W 720 x D 500 x H 965 mm
- Weight: 9,4 kg

GTIN 4015613673516

For more information: catalogue page 308



€ 175,-*

Code-No. 601192

Store-Shelf 4500

4 shelves, height-adjustable

- Steel, chrome-plated
- Shelf design: grid
- Shelf size: W 1210 x D 610 mm
- Load-bearing capacity, max.: 500 kg in total, 125 kg per shelf
- Size: W 1210 x D 610 x H 1840 mm
- Assembly set consisting of: 4 shelves, 4 corner posts
- Push-fit system, easy assembly
- Weight: 25,6 kg

GTIN 4015613667294

For more information: catalogue page 168

Small Appliances



€ 1.198,-*

Code-No. 200261

Food service cart WB2110

Basin: 2 x 1/1 GN, 200 mm deep, deep-drawn

- CNS 18/10
- Water-heated, temperature range: 30 °C to 90 °C
- Separately controllable heating zones
- 4 swivel wheels Ø 125 mm, 2 with brakes
- Spiral connecting cable: approx. 1,6 m
- Power: 1,4 kW / 230 V 50-60 Hz
- Size: W 655 x D 900 x H 910 mm
- Weight: 38,8 kg

GTIN 4015613671789

For more information: catalogue page 216



€ 1.449,-*

Code-No. 200262

Food service cart WB3110

Basin: 3 x 1/1 GN, 200 mm deep, deep-drawn

- CNS 18/10
- Water-heated, temperature range: 30 °C to 90 °C
- Separately controllable heating zones
- 4 swivel wheels Ø 125 mm, 2 with brakes
- Spiral connecting cable: approx. 1,7 m
- Power: 2,1 kW / 230 V 50-60 Hz
- Size: W 655 x D 1300 x H 910 mm
- Weight: 54 kg

GTIN 4015613671802

For more information: catalogue page 216



€ 322,-*

Code-No. 300104

Thermo transport container 12 x 1/1 GN

12 inserts, suited for containers up to 1/1 GN

- Material: polymer LLDPE
- Robust, double-walled plastic design
- Temperature range: -20 °C to 120 °C
- Capacity: 87 litres
- Stackable
- Size: W 450 x D 645 x H 620 mm
- Weight: 15,3 kg

GTIN 4015613666549

For more information: catalogue page 245



€ 229,-*

Code-No. 300181

Clearing trolley 18GN110

Designed for: 18 GN containers 1/1 GN, 65 mm deep

- Material: chrome nickel steel
- Design: frame made of a square tube 25,8 x 25,8 mm
- Distance between slots: 80 mm
- Carrying capacity max.: 80 kg in total
- One container latch each on the front and rear
- 4 rubber swivel wheels, Ø 100 mm, each with 1 wheel buffer, 2 with brakes
- Easy assembling kit
- Size: W 415 x D 610 x H 1890 mm
- Weight: 20,2 kg

GTIN 4015613671628

For more information: catalogue page 243



€ 198,-*

Code-No. 300093

Clearing trolley 7GN210

Designed for: 7 GN containers 2/1 GN, 65 mm deep

- Material: chrome nickel steel
- Design: frame made of a square tube 25,8 x 25,8 mm
- Distance between slots: 80 mm
- Carrying capacity max.: 90 kg in total
- One container latch each on the front and rear
- 4 rubber swivel wheels, Ø 100 mm, each with 1 wheel buffer, 2 with brakes
- Easy assembling kit
- Size: W 655 x D 740 x H 1010 mm
- Weight: 15,8 kg

GTIN 4015613659244

For more information: catalogue page 243



€ 735,-*

Code-No. 300079

Tray clearing trolley TA100

Suitable for serving trays and fast-food trays

- Aluminium, plastic (white)
- 10 slots for serving trays 370 x 570 mm or fast-food trays 356 x 456 mm
- Distance between slots 120 mm
- Carrying capacity max.: 50 kg in total
- 4 swivelling rubber castors, Ø 125 mm, 2 with brakes
- Side walls writeable
- Easy assembling kit
- Size: W 470 x D 685 x H 1660 mm
- Including: glass collection basket, drip tray
- Weight: 29 kg

GTIN 4015613651927

For more information: catalogue page 309



Small Appliances



€ 229,-*

Code-No. 114263

Infrared food warmer 1WL400

1 infrared lamp

- Material: stainless steel, plexiglas
- Hotplate with integrated heating element: glass ceramic, size: W 320 x D 525 mm
- Clear height: 230 mm
- Temperature range: 30 °C to 85 °C
- Power: 0,4 kW / 220-240 V 50/60 Hz
- Size: W 380 x D 555 x H 550 mm
- Weight: 7,6 kg

GTIN 4015613655376

For more information: catalogue page 219



€ 269,-*

Code-No. 700355

Buffet cabinet 70L

Service: from the back

- Material: glass, plexiglas
- Number of levels: 2
- Shelves: fixed
- Capacity: 70 litres
- Top shelf: W 335 x D 420 x H 170 mm
- Bottom shelf: W 335 x D 490 x H 140 mm
- Size: W 415 x D 660 x H 590 mm
- Weight: 13,2 kg

GTIN 4015613667614

For more information: catalogue page 247



€ 598,-*

Code-No. 370169

Waffle maker 1BW16080

Brussels-style waffle, 160 x 80 mm, height 26 mm

- Material: stainless steel
- Baking plates: cast iron with non-stick coating
- Temperature range: 100 °C to 300 °C
- Digital display for programming and storing the baking time
- Power: 2,2 kW / 220-230 V 50/60 Hz
- Size: W 290 x D 465 x H 320/530 mm
- Weight: 19,65 kg

GTIN 4015613674612

For more information: catalogue page 279



€ 105,-*

Code-No. 106212

Side table set TB1100

Fitting the gas combi table-top grills TB1100

- Set consisting of: 2 side tables
- Size, each: W 268 x D 495 x H 50 mm
- Weight: 2,26 kg

GTIN 4015613650852

Wok top frame set TB1100

Fitting the gas combi table-top grills TB1100

Set consisting of:

- Wok pan, capacity: 5,5 litres
- Wok attachment
- Flame protection, grid
- Weight: 10,88 kg

GTIN 4015613673417

For more information: catalogue page 66

€ 269,-*

Code-No. 106213



€ 129,-*

Code-No. A100268

Thermo-pot-set 6L

Pot capacity: 6 litres

Prepare meals and keep them warm in the well insulated thermo container without inconvenient decanting.

- Set consisting of:
 - pot with glass lid, thermo container
 - Pot: chrome nickel steel 18/10, plastic (black)
 - Thermo container material: stainless steel, plastic, double-walled, vacuum insulated
 - Temperature loss / hour approx.: 5 °C
- Size: W 360 x D 320 x H 220 mm
- Including: glass lid
- Weight: 4,75 kg

GTIN 4015613657486

For more information: catalogue page 212



€ 34,-*

Code-No. 900005

Chocolate warmer 1,25L

Keeping warm up to 1,25 litres of chocolate

- Material: stainless steel
- Inner pot: ceramic, removable
- Capacity: 1,25 litres
- Temperature range: 40 °C to 58 °C
- Suitable for: milk chocolate, dark chocolate, white chocolate
- Power: 0,12 kW / 230 V 50/60 Hz
- Size: W 230 x D 220 x H 200 mm
- Weight: 2 kg

GTIN 4015613669892

For more information: catalogue page 300



Small Appliances



€ 359,-*

Code-No. 130130

Motor block STM3 350

Mixer revs.: 11.000 rpm

- Material: plastic, beige
- Speed control: 9 levels + turbo
- Cable length: 2,1 m
- Power: 0,35 kW / 230 V 50 Hz
- Size: W 115 x D 180 x H 360 mm
- Weight: 2,85 kg

GTIN 4015613670645

For more information: catalogue page 250



€ 439,-*

Code-No. 130131

Motor block STM3 450

Mixer revs.: 15.000 rpm

- Material: plastic, beige
- Speed control: 9 levels + turbo
- Cable length: 2,1 m
- Power: 0,45 kW / 230 V 50 Hz
- Size: W 130 x D 190 x H 380 mm
- Weight: 3,3 kg

GTIN 4015613670652

For more information: catalogue page 250



€ 559,-*

Code-No. 130132

Motor block STM3 650

Mixer revs.: 13.000 rpm

- Material: plastic, beige
- Speed control: 9 levels + turbo
- Cable length: 2,1 m
- Power: 0,65 kW / 230 V 50 Hz
- Size: W 130 x D 190 x H 400 mm
- Weight: 3,9 kg

GTIN 4015613670676

For more information: catalogue page 250



€ 149,-*

Code-No. 130133

Mixing bar STM3 300

Designed for approx. 30 l - Mixing bar length: 300 mm

- Material: CNS 18/10
- Knife: Ø 60 mm, 3 blades
- Weight: 1,25 kg

GTIN 4015613670683

Mixing bar STM3 400

Designed for approx. 80 l - Mixing bar length: 400 mm

- Material: CNS 18/10
- Knife: Ø 60 mm, 3 blades
- Weight: 1,5 kg

GTIN 4015613670690

€ 169,-*

Code-No. 130134

For more information: catalogue page 250



€ 189,-*

Code-No. 130135

Mixing bar STM3 500

Designed for approx. 150 l - Mixing bar length: 500 mm

- Material: CNS 18/10
- Knife: Ø 60 mm, 3 blades
- Weight: 1,8 kg

GTIN 4015613670706

Mixing bar STM3 600

Designed for approx. 250 l - Mixing bar length: 600 mm

- Material: CNS 18/10
- Knife: Ø 60 mm, 3 blades
- Weight: 1,95 kg

GTIN 4015613670713

€ 209,-*

Code-No. 130136

For more information: catalogue page 250



€ 369,-*

Code-No. 130116

Stick mixer MX 235 Plus

Designed for approx. 20 l - Mixing bar length: 235 mm

- Material: plastic, orange
- Mixing bar material: CNS 18/10
- Knife: Ø 46 mm, 2 blades
- Mixer revs. max.: 15000 r.p.m.
- Speed control: continuous
- Cord length: 1,8 m
- Power: 0,25 kW / 230 V 50-60 Hz
- Size: W 75 x D 135 x H 515 mm
- Weight: 1,4 kg

GTIN 4015613640129

For more information: catalogue page 251



Small Appliances



€ 229,-*

Code-No. 130208

Hand blender set KitchenAid Classic

5 speed settings - Blender length: 225 mm

- Material: plastic
- Rotational speed: max. 11000 rpm
- Cable length: 1,5 m approx.
- Power: 180 W / 220-240 V 50/60 Hz
- Total length: max. 525 mm
- Includes: 2 blending arms, whisk attachment, knife attachment, shaker, contents: 1 litre
- Weight: 1,84 kg

GTIN 4015613660028

For more information: catalogue page 249



€ 1.049,-*

Code-No. 120326

Vegetable cutter GMS600

Including: 3 cutting disks, 1 collecting container

- Material: stainless steel, aluminium, plastic
- Feed chutes: 1 x W 115 x D 75 mm, 1 x Ø 52 mm
- Magnetic switch for collecting container and feed chute
- ON/OFF switch with indicator light
- Power: 0,617 kW / 230 V 50 Hz
- Size: W 290 x D 530 x H 515 mm
- Weight: 18,25 kg

GTIN 4015613670102



€ 63,-*

Code-No. 120344

Feed chute GMS600

Size: W 245 x D 105 x H 200 mm

- Material: stainless steel
- Weight: 1,37 kg

GTIN 4015613676111

Another 15 cutting disks for slices, sticks, graters and dices and 1 disk holder provide highest flexibility.

For more information: catalogue page 257



€ 798,-*

Code-No. 150137

Juice extractor "Bartscher PRO"

XXL feed chute, Ø 83 mm

- Body made of stainless steel, plastic
- Revolutions/min.: max. 3.000
- Fine stainless steel sieve for perfect fruit delight
- Capacity pomace container: 7 litres
- Safety switch
- Motor thermostat
- Power: 0,7 kW / 230 V 50/60 Hz
- Size: W 260 x D 430 x H 530 mm
- Weight: 12,8 kg

GTIN 4015613640112

For more information: catalogue page 272



€ 979,-*

Code-No. A150710

Blender Magnetic Drive KitchenAid CLASSIC

Mixing cup: filling capacity 1750 ml

- Injection moulded, painted in white
- Blade: stainless steel, mixing cup: plastic, BPA-free
- 4 preset programs, pulse function, manual speed control
- Intelli-Speed control (automatic speed adjustment)
- Revs/min.: max. 20.000
- Filler opening at top of appliance
- Power: 1,3 kW / 220-240 V 50/60 Hz
- Size: W 190 x D 360 x H 410 mm
- Weight: 10 kg

GTIN 4015613660011

For more information: catalogue page 276



€ 319,-*

Code-No. A150709

Blender KitchenAid CLASSIC

Mixing cup: contents 2350 ml, filling capacity 1750 ml

- Injection moulded, painted in white
- Blade: stainless steel, mixing cup: plastic, BPA-free
- 5 speed levels, pulse function, ice crushing
- Intelli-Speed control (automatic speed adjustment)
- Revs/min.: max. 11.500
- Automatic switch off
- Power: 0,55 kW / 220-240 V 50/60 Hz
- Size: W 229 x D 216 x H 419 mm
- Weight: 4,3 kg

GTIN 4015613660035

For more information: catalogue page 276

Small Appliances



€ 279,-*

Code-No. A150062

KitchenAid Pasta rolling set, 3-pieces

Suitable for the stand mixers KitchenAid

- Material: stainless steel
- Set consisting of:
 - Pasta roller: for a pasta sheet with a width up to 150 mm, adjustable in 8 thicknesses
 - Spaghetti cutter
 - Fettuccine cutter

• Size: W 56 x D 97 x H 246 mm

• Weight: 3,4 kg

GTIN 4015613681412

For more information: catalogue page 254



€ 66,-*

Code-No. 291040

Thermometer 361-01

with core temperature sensor

- Material: plastic ABS, colour: light grey
- With core temperature sensor:
 - insertion depth: 140 mm, cable: length: 1100 mm
- Temperature range: -31 °C to 200 °C
- Display: 3 sections (time, countdown, temperature)
- Stand/suspension device: standing base with rubber feet, metal suspension bracket, 2 magnets
- Integrated bracket for the core temperature sensor
- Battery-operated by 3 (1,5 V AAA LR03) cells – not included
- Size: W 90 x D 34 x H 105 mm
- Weight: 0,18 kg

GTIN 4015613671239

For more information: catalogue page 268



€ 159,-*

Code-No. 103048

Cup warmer T160

Capacity max.: 2 x 8 cups

- Material: aluminium, plastic
- Cup diameter max.: 90 mm
- Cup holder size: Ø 95 mm, height 300 mm
- Temperature range: 47 °C to 52 °C
- Heating: PTC heater
- On/Off switch with indicator light
- Power: 0,11 kW / 220-240 V 50/60 Hz
- Size: W 290 x D 210 x H 350 mm
- Weight: 2,25 kg

GTIN 4015613672250

For more information: catalogue page 223

All prices are given in Euro, not including delivery charges or value added tax, valid until 31.12.2017

Our general terms and conditions are valid for all deliveries only.

Subject to technical modifications and errors.

Bartscher
since 1876



Bartscher GmbH

Franz-Kleine-Straße 28

33154 Salzkotten

Germany

Phone: +49 (0) 52 58 / 971-127

Fax: +49 (0) 52 58 / 971-140

E-Mail: export@bartscher.de

Web: www.bartscher.de